



# Real Time Estimation of Potential Output and Output Gap for the Euro-Area: Comparing Production Function with Unobserved Components and SVAR Approaches

Gian Luigi Mazzi, Frédéric Reynès, Matthieu Lemoine, Paola Veroni

## ► To cite this version:

Gian Luigi Mazzi, Frédéric Reynès, Matthieu Lemoine, Paola Veroni. Real Time Estimation of Potential Output and Output Gap for the Euro-Area: Comparing Production Function with Unobserved Components and SVAR Approaches. 2008. hal-01027422

**HAL Id: hal-01027422**

**<https://hal-sciencespo.archives-ouvertes.fr/hal-01027422>**

Preprint submitted on 21 Jul 2014

**HAL** is a multi-disciplinary open access archive for the deposit and dissemination of scientific research documents, whether they are published or not. The documents may come from teaching and research institutions in France or abroad, or from public or private research centers.

L'archive ouverte pluridisciplinaire **HAL**, est destinée au dépôt et à la diffusion de documents scientifiques de niveau recherche, publiés ou non, émanant des établissements d'enseignement et de recherche français ou étrangers, des laboratoires publics ou privés.



## Document de travail

---

### **REAL TIME ESTIMATION OF POTENTIAL OUTPUT AND OUTPUT GAP FOR THE EURO-AREA : COMPARING PRODUCTION FUNCTION WITH UNOBSERVED COMPONENTS AND SVAR APPROACHES**

**N° 2008 – 34  
Novembre 2008**

**Matthieu LEMOINE**  
*OFCE*

**Gian Luigi MAZZI**  
*Eurostat*

**Paola MONPERRUS-VERONI**  
*OFCE*

**Frédéric REYNES**  
*OFCE*

**Observatoire Français des Conjonctures Économiques**

69, Quai d'Orsay 75340 Paris Cedex 07

Tel : 01 44 18 54 00 Fax : 01 45 56 06 15

E-mail: [ofca@ofce.sciences-po.fr](mailto:ofca@ofce.sciences-po.fr) Web: <http://www.ofce.sciences-po.fr>

# ***Real time estimation of potential output and output gap for the euro-area : comparing production function with unobserved components and SVAR approaches <sup>1</sup>***

Matthieu LEMOINE<sup>\*2</sup>, Gian Luigi MAZZI<sup>\*</sup>, Paola MONPERRUS-VERONI<sup>\*</sup> and Frédéric REYNES<sup>\*</sup>

<sup>\*</sup> OFCE - Analysis and Forecasting Department

<sup>\*</sup> Eurostat - DI Key Indicators for European Policies

## **Abstract**

We develop a new version of the production function (PF) approach usually used for estimating the output gap of the euro area. Our version does not call for any (often imprecise) measure of the capital stock and improves the estimation of the trend total factor productivity. We assess this approach by comparing it with two other multivariate methods mostly used for output gap estimates, a multivariate unobserved components (MUC) model and a Structural Vector Auto-Regressive (SVAR) model. The comparison is conducted by relying on assessment criteria such as the concordance of the turning points chronology with a reference one, the inflation forecasting power and the real-time consistency of the estimates.

Two contributions are achieved. Firstly, we take into account data revisions and their impact on the output gap estimates by using vintage datasets coming from the Euro Area Business Cycle (EABCN) Real-Time Data-Base (RTDB). Secondly, the PF approach, generally employed by policy-makers despite of its difficult implementation, is assessed. We thus improve on previous papers which limited their assessment on other multivariate methods, e.g. MUC or SVAR models.

The different methods show different ranks in relation to the three criteria. This new PF estimate appears highly concordant with the reference chronology. Its forecasting power appears favourable only for the shortest horizon (1 month). Finally, the SVAR model appears more consistent in real-time.

JEL codes: C32, E32

Keywords : potential output, production function, state-space models, structural VARs

---

<sup>1</sup> This paper is based on a report for Eurostat : “Real time estimation of potential output, output gap, NAIRU and Phillips curve for Euro-zone”, part of the *Advanced statistical and econometric techniques for the analysis of PEEIs EUROSTAT Project*, December 2007

<sup>2</sup> Corresponding author: Matthieu Lemoine, OFCE, 69 quai d’Orsay, 75007 Paris, France  
[matthieu.lemoine@ofce.sciences-po.fr](mailto:matthieu.lemoine@ofce.sciences-po.fr)

**Acknowledgments:** We wish to thank Massimiliano Marcellino and Simon Van Norden as well as participants to the 2nd International Workshop on “Computational and Financial Econometrics (CFE’08)” in June 2008 in Neuchâtel and to the 5th Colloquium on “Modern Tools for Business Cycle Analysis”, in October 2008, in Luxembourg for their useful comments.

## 1. Introduction

Since Okun's contribution (1962), the concepts of potential GDP (or potential output) and output gap are widely used in macroeconomics even though their definition and estimation raise a number of theoretical and empirical issues. An output gap is defined as the difference between the – unobservable – potential and the actual GDP. Potential output is commonly defined as the “maximum output an economy can sustain without generating a rise in inflation” (De Masi, 1997) or equivalently level of production reached with the full use of disposable production factors.

An accurate measure of the potential output is an important challenge to policy makers in mainly two respects. The first one is related to structural policy recommendations, i.e. all those structural policies likely to enhance potential output and consequently potential growth. Indeed, increasing potential growth may help to solve the sustainability problems of social (health care and pension) systems faced by most OECD countries because of their ageing population. The second one concerns business cycle policy. A level of real output above potential output, *i.e.* a positive output gap, indicates demand pressures and signals to the monetary authority a possible increase of inflation pressures and that policy tightening may be required.

The output gap interpretation followed by international organizations (OECD, European Commission, ECB...) generally rests on an economic-based approach relying on a production function (PF). Hence, the notion of potential output has clearly-identified theoretical foundations and its estimation relies on non-statistical approaches such as the estimation of a NAIRU or of the parameters of the production function. However, three key issues arise in implementing economic-based PF models. Firstly, information about the underlying economic theory is necessary, but a broad consensus of undisputed and directly useable economic theories can be hardly identified. This remark holds for the specification of the production function and the estimations of the NAIRU and the Phillips curve (Richardson et al., 2000). Secondly, the capital stock is generally not precisely estimated. Thirdly, production function approaches generally involve non-economic-based techniques such as the use of statistical detrending methods, in particular for the estimation of the trend of total factor productivity incorporated in the production function (see for instance Mac Morrow and Röger 2001, Banque de France 2002, de Bandt and Rousseaux 2002). Hence, the PF estimate of the potential output delivers often the same result as a basic statistical filter of the GDP.

In this paper, we try to improve the PF methodology in three ways simultaneously. Firstly, the general Constant Elasticity of Substitution (CES) specification is assumed, instead of the Cobb-Douglas one. Secondly, we decompose GDP into labour and labour productivity thus avoiding the use of an imprecise measure of the capital stock. The labour / capital substitution is taken into account *via* the impact of the relative cost between labour and capital on labour productivity. Thirdly, a time-varying (TV) coefficients model is used to estimate the technical progress simultaneously with the labour-capital substitution ratio and the cyclical components of labour productivity.

The PF approach remains dominant in structural analysis but it has been challenged by other methods in the business cycle analysis because of its difficulties of implementation. We compare the business cycle analysis performances of our proposed PF methodology with those of two other multivariate methods applied to GDP, the inflation and the unemployment rate: a multivariate unobserved components (MUC) model and a Structural Vector Auto-Regressive (SVAR) model. The assessment criteria are the concordance of the turning points chronology with a reference one, the forecasting power regarding inflation and the real-time consistency of the estimates.

The real-time consistency cannot be used as a unique criterion, because a constant estimate of the output gap would perform optimally according to this criterion but very poorly according to the concordance criterion. Nevertheless, the real-time aspect is particularly important in the business cycle analysis, because policy-makers are more interested in the current value of the output gap at each date than in its past and revised values. Orphanides and Van Norden (2002) have shown with US data that the output gap is unreliable in real-time, when a univariate method is used for its estimation. For the euro area, multivariate methods provide more reliable estimates in quasi real-time, i.e. using at each date only the past and current observations from the last version of the dataset (Camba-Mendez and Rodriguez-Palenzuela, 2003).

In this paper, two contributions are achieved. Firstly, the assessment of output gap estimates for the euro area relies on the real-time vintages of the data and not on a final version of the data. Data revisions and their impact on the output gap estimates are taken into account. The vintages come from the Euro Area Business Cycle (EABCN) Real-Time Data-Base (RTDB). Secondly, the PF approach, generally followed by policy-makers and international organizations despite of its difficult implementation, is assessed. We improve on previous papers which limited the assessment to other multivariate methods, e.g. MUC or SVAR models.

Section 2 presents alternative specifications of multivariate empirical models for the estimation of potential output and of the output gap, namely a production-function-based model, a multivariate unobserved model and a structural VAR model. Econometric estimations of the output gap and of the NAIRU with each model are provided in Section 3. Section 4 studies the real-time properties and the stability of such models, by estimating them in real-time and quasi-real-time. An Hodrick-Prescott filter is used as a benchmark. Section 5 concludes showing advantages and drawbacks of the different approaches in relation to the specific goals of structural analysis, business cycle analysis, policy-making and forecasting.

## **2. Alternative specifications of empirical models for the estimation of potential output, the output gap and the NAIRU**

This section describes the alternative specifications of the empirical models retained in order to compare estimates of potential output, of the output gap and of the NAIRU to the ones obtained with a purely statistical method, namely the HP filter. Three models are retained: (1) a model-based production function, (2) a multivariate unobserved components model that estimates simultaneously the output gap, a Phillip's curve and an Okun's law, and (3) a SVAR model.

## 2.1 The “model-based” production function approach

The concept of *potential output* corresponds to the level of production reached with the full use of disposable production factors (generally labour, capital and technical progress). In the production function approach, potential output is formally and theoretically defined from a production function (PF). It is computed after calculating the potential or equilibrium values of each production factor. For instance, the potential labour is a function of the potential value of the population, the labour participation rate and the unemployment rate. Potential values of the production factors can be obtained either by estimating a theoretical model providing equilibrium values or by filtering each determinant of the output. The former methodology, that we call the “model-based production-function approach” is a pure economic-based one. The latter one, that we call the “statistical PF approach” consists in applying filtering or smoothing techniques such as Hodrick-Prescott (HP) filter to each component: the capital stock, the population, the participation rate, the unemployment rate and the productivity. It more or less delivers the same outcome as if filtering techniques were directly applied to output data. Because of the additivity property of the HP filter, the result is identical as long as the same smoothing parameter is used for all series (see Ongena and Röger, 1997). The statistical PF approach presents the advantage of explaining the contribution to growth from a supply point of view and to be able to decompose the output gap into a capital gap, a population gap, a labour participation gap, an unemployment gap and a productivity gap. But it provides more an explication of past trend output rather than a real estimate of potential output. It therefore presents the same drawbacks of purely statistical approaches.

Major economic institutions such as the OECD (Beffy *et al.*, 2007), the European Central Bank (Denis *et al.*, 2006) and the European Commission (Cahn and Saint-Guilhem, 2007) currently use “hybrid” approaches which combine the model-based and the statistical production function approaches. In most cases, the potential technical progress and the potential labour force are estimated using filtering techniques, whereas the NAIRU is estimated simultaneously with a Philips curve relation.

The specification of the production function generally retains two simplifying hypothesis (see for instance by Rünstler, 2002 and Proietti *et al.* 2002). Firstly, constant-returns to scale are assumed so that a 1%-increase in production factor leads to a 1%-increase in output. Secondly, the technology is often represented as a Cobb-Douglas function. In particular, the Cobb-Douglas technology has been widely used by the major economic institutions (see Giorno *et al.*, 1995; CEPPII, 1997) and is currently used by the OECD (Beffy *et al.*, 2007), the European Central Bank (Cahn and Saint-Guilhem, 2007) and the European Commission (Denis *et al.*, 2006). The standard PF approach based on a Cobb-Douglas technology offers the advantage of allowing for a straightforward decomposition of production and hence of easily allowing for the calculation of the contribution of production factors (employment, capital and total factor productivity) to growth, but it presents mainly three drawbacks:

- (1) It assumes a unit elasticity of substitution between labour and capital, which is higher than its empirical estimations.
- (2) It has to overcome the difficulty of providing a proper estimation of the stock of capital. The capital stock is generally computed as the accumulation of quarterly national account investment flows by assuming an *ad hoc* constant

rate of capital depreciation, although several corrections are sometimes introduced. The European Central Bank (ECB) corrects for the degree of excess capacity in capital whereas the OECD corrects by differencing capital by age/efficiency profile.

- (3) It hardly provides a proper estimation of the Total Factor Productivity (TFP). Technical progress is generally computed as a residual by inverting the production function. As this “Solow residual” is extremely erratic, filtering techniques are generally applied which may give poor approximation at the end of the sample. Alternatively, the ECB study (Cahn and Saint-Guilhem, 2007) estimates econometrically the TFP as a determinist trend. This latter approach is unsatisfactory since it assumes that the TPF trend is constant over time which makes difficult to calculate the level of potential output. Indeed, it leads to downward (resp. upward) bias in the potential output estimate in times of acceleration (slowdown) of the TFP. This outcome can explain why only potential output growth is computed in the ECB study.

In this paper, we propose a methodology that aims at overcoming these three shortcomings:

- (1) We relax the constraint of unit elasticity of substitution between labour and capital by estimating a labour productivity equation deduced from a Constant Elasticity of Substitution (CES) production function.
- (2) Using the definition that output is the product of labour and of labour productivity, we do not need to estimate the stock of capital in order to calculate potential output. At the same time, labour-to-capital substitution is taken into account *via* the impact of the relative cost between labour and capital on labour productivity.
- (3) As an alternative to univariate filtering of the “Solow residual” or to the econometric estimates of the TFP as a determinist trend, a Time-Varying (TV) - coefficients econometric method (the Kalman filter) is used to estimate technical progress simultaneously with the labour-capital substitution ratio and the cyclical components of labour productivity. This method is also used to estimate the NAIRU simultaneously with a Phillips curve and to estimate trend labour participation taking into account discouraged-worker effects. Here as well, a TV trend is more realistic than a determinist trend, since the labour participation ratio has an upper and a lower bound.

By definition, output ( $Y$ ) can be linearly decomposed into labour productivity ( $P^{rod}$ ) and employment ( $N$ ), which can itself be linearly decomposed into the working age population ( $P^{op}$ ), the labour market participation rate ( $P^{art}$ ) and the unemployment rate ( $U$ )<sup>3</sup>:

---

<sup>3</sup> The lower-case variables are in logarithm. Variables in first differences and in growth rates are respectively referred to as  $\Delta X_t = X_t - X_{t-1}$  and  $\dot{X}_t = X_t / X_{t-1} - 1 \approx \Delta x_t$ . Variables in annual growth rates are referred to as  $\tilde{X}_t = X_t / X_{t-4} - 1$ . The time operator  $t$  as an index may be omitted. All coefficients are positive.  $L$  being the lag operator,  $\gamma(L) = \sum_{i=0}^n L^i \gamma_i$  is the lag polynomial and  $\gamma(1)$  is the long-run coefficient.  $\varepsilon_t^X$  is a Gaussian independent noise with variances  $\sigma_{\varepsilon, X}^2$ . For algebraic simplicity, we use the following linear approximation:  $\ln(1+U) \approx U$ .

$$y = n + p^{rod} = p^{op} + p^{part} - U + p^{rod} \quad (1)$$

This decomposition allows for the identification of the determinants of potential output, namely the equilibrium or potential value (mentioned with a \*) of the population, the labour force participation rate, the unemployment rate and labour productivity:

$$y^* = p^{op*} + p^{art*} - U^* + p^{rod*} \quad (2)$$

It also allows for a straightforward linear decomposition of the output gap into a population gap, a labour participation gap, an unemployment gap and a productivity gap:

$$y - y^* = (p^{op} - p^{op*}) + (p^{art} - p^{art*}) - (U - U^*) + (p^{rod} - p^{rod*}) \quad (3)$$

The potential population is assumed to be the actual population so that the population gap is null. The theoretical foundations of the other determinants are detailed in Appendix A. The potential unemployment is the NAIRU which is simultaneously estimated with an augmented Phillips curve in a space-state model using the Kalman filter<sup>4</sup>:

$$\begin{cases} \dot{P}_t^C = \beta_1 \dot{P}_{t-1}^C + \beta_2 \dot{P}_{t-2}^C + (1 - \beta_1 - \beta_2) \dot{P}_{t-3}^C - \beta_3 (U_t - U_t^*) \\ \quad + \beta_4 (\dot{P}_{t-1}^M - \dot{P}_{t-1}^C) + \beta_5 (\dot{P}_{t-2}^M - \dot{P}_{t-2}^C) + \beta_6 \dot{C}_t^{UR} + \varepsilon_t^{\dot{P}^C} \\ U_{t+1}^* - U_t^* = U_t^{**} \\ U_{t+1}^{**} = U_t^{**} + \varepsilon_t^{U^{**}} \end{cases} \quad (4)$$

where  $P^C$  is the consumer price,  $P^M$  the import price,  $C^{UR}$  the capacity utilisation ratio.  $\varepsilon_t^{\dot{P}^C}$  and  $\varepsilon_t^{U^{**}}$  are Gaussian independent noises with variances  $\sigma_{\varepsilon, \dot{P}^C}^2$  and  $\sigma_{\varepsilon, U^{**}}^2 = q_{\varepsilon, U^{**}} \sigma_{\varepsilon, \dot{P}^C}^2$ , where  $q_{\varepsilon, U^{**}}$  is the corresponding signal-to-noise ratio.

The potential labour participation is deduced from the estimation of a labour participation equation which takes into account discouraged-worker effects ( $\lambda_1$ ) via the negative impact of unemployment on the labour participation ratio:

$$\begin{cases} P_t^{art} = \bar{P}_t^{art} - \lambda U_t + \varepsilon_t^{P^{art}} \\ \bar{P}_{t+1}^{art} - \bar{P}_t^{art} = \bar{P}_t^{art*} \\ \bar{P}_{t+1}^{art*} = \bar{P}_t^{art*} + \varepsilon_t^{\bar{P}^{art*}} \end{cases} \quad (5)$$

where  $\varepsilon_t^{P^{art}}$  and  $\varepsilon_t^{\bar{P}^{art*}}$  are Gaussian independent noises with variances  $\sigma_{\varepsilon, P^{art}}^2$  and  $\sigma_{\varepsilon, \bar{P}^{art*}}^2 = q_{\varepsilon, \bar{P}^{art*}} \sigma_{\varepsilon, P^{art}}^2$ , where  $q_{\varepsilon, \bar{P}^{art*}}$  is the corresponding signal-to-noise ratio.

The trend participation rate ( $\bar{P}^{art}$ ) is specified as a Time-Varying (TV) parameter. This hypothesis is far more realistic than the one of a constant deterministic trend traditionally assumed in the literature. Indeed the latter is in contradiction with the fact that the participation rate has an upper and a lower bound: it cannot go below 0 or above 100%.

After the estimation of Equation (5), the potential participation rate can be calculated as a function of the trend participation rate and the NAIRU:

$$p_t^{art*} = \bar{P}_t^{art} - \lambda U_t^* \quad (6)$$

<sup>4</sup> For a detailed description of space-state models and the Kalman filter see *e.g.* Durbin and Koopman (2001).



Assuming a CES technology with constant returns to scale, the labour productivity equation dissociates the impacts of the technical progress ( $e$ ), of the relative cost between labour and capital ( $r^c$ ) and of the cyclical component ( $c^{ycle}$ ).

$$\begin{cases} p_t^{rod} = e_t + \rho_1 \cdot \alpha \cdot r_t^c + c_t^{ycle} + \varepsilon_t^{p^{rod}} \\ r_t^c = w_t - e_t - p_t - (I_t^r - \tilde{P}_t^C) \\ e_{t+1} - e_t = e_t^* \\ e_{t+1}^* = e_t^* + \varepsilon_t^{e^*} \\ c_{t+1}^{ycle} = \rho_2 \left( \cos(\rho_3)(c_t^{ycle}) + \sin(\rho_3)c_t^{ycle*} \right) + \varepsilon_t^{c^{ycle}} \\ c_{t+1}^{ycle*} = \rho_2 \left( -\sin(\rho_3)(c_t^{ycle}) + \cos(\rho_3)(c_t^{ycle*}) \right) + \varepsilon_t^{c^{ycle*}} \end{cases} \quad (7)$$

where  $W$  is the compensation per employee,  $P$  the GDP price,  $I^r$  the interest rate,  $\alpha$  the share of value-added going to profit assumed to be equal to 30% and  $\rho_1$  the elasticity of substitution between capital and labour.  $\varepsilon_t^{p^{rod}}$ ,  $\varepsilon_t^{e^*}$ ,  $\varepsilon_t^{c^{ycle}}$  and  $\varepsilon_t^{c^{ycle*}}$  are Gaussian independent noises with variances  $\sigma_{\varepsilon, p^{rod}}^2$ ,  $\sigma_{\varepsilon, e^*}^2$ ,  $\sigma_{\varepsilon, c^{ycle}}^2$  and  $\sigma_{\varepsilon, c^{ycle*}}^2 = q_{\varepsilon, c^{ycle*}} \sigma_{\varepsilon, c^{ycle}}^2$ , where  $q_{\varepsilon, c^{ycle*}}$  is the corresponding signal-to-noise ratio.

Technical progress is specified as a TV parameter in order to capture the evolution of the TPF. Technical progress ( $e$ ) is modelled as a I(2) process, his slope  $e^*$  being modelled as a random walk process. In order to avoid fallacious estimates of the trend of technical progress, the cyclical component of the labour productivity is extracted using a specification *à la* Harvey (1985) with a damping factor  $\rho_2$  and a frequency  $\rho_3$  lying respectively in the intervals  $[0;1]$  and  $[0;\pi]$ . This cyclical component reflects lags in the adjustment of labour to output. Productivity growth tends to increase at the beginning of a growth cycle because output growth increases more than labour growth. The contrary is true at the end of the cycle.

The potential productivity can then be computed by leaving out the cyclical component:

$$p_t^{rod*} = e_t + \rho_1 \cdot \alpha \cdot r_t^c \quad (8)$$

## 2.2. The Multivariate Unobserved Component Model

The unobserved component (UC) model proposed in Harvey (1985) presents some advantages, relative to mechanical filters, e.g. Hodrick-Prescott or Baxter-King filters. First, mechanical filters do not accurately decompose time series into their trend and cyclical components when the spectrum or pseudo-spectrum of the data has a Granger's typical shape (Guay and St-Amant, 1996). As is noted by Cogley and Nason (1995), spurious cyclicity may also be induced by the HP filter when applied to nearly integrated processes. Moreover, UC models do not require some arbitrary hypothesis on certain parameters such as the smoothing parameter for the HP filter or the cut-off frequencies for the BK filter. However, the UC model requires a prior setting of parameters and results might be sensitive to such settings. Finally, they allow for the estimation of the uncertainty around the output gap, which can be decomposed into a parameter uncertainty and a filter uncertainty (Hamilton, 1986). As the parameter uncertainty increases with the number of parameters, the specification of a UC model also requires parsimony.

Two important assumptions on trend and cycle dynamics generally characterize the UC model: the cycles are stationary; the trend of the UC model is an order 2 integrated process. Persistent deviations from the potential output are ruled out by the first assumption, in order to allow for the identification of the model. The order of integration of output has been investigated by Harvey and Jaeger (1993), notably addressing the issue of the power adequacy of standard tests. They found that, because of their low power rates, Dickey-Fuller tests can not distinguish a second unit root in the presence of MA dynamics (which is the case for UC models), allowing to choose an I(2) trend.

However, the UC models show some general drawbacks, which exist for all univariate statistical methods. Orphanides and Van Norden (2002) pointed out that all univariate methods, including UC models, show instability of estimates at the end and beginning of sample periods, which limits the interest of policymakers. For example, potential growth is underestimated at the end of the period, when a country is coming out particularly slowly from a recession.

Many multivariate methodologies have been proposed in response to this criticism. In particular, multivariate unobserved component models (MUC) estimate the unobserved potential output level using economic relationships between latent variables of a group of observable variables.

Such an approach has been developed in Kuttner (KU, 1994), Gerlach and Smets (GS, 1999), Appel and Jansson (AJ, 1999), Kichian (KI,1999), Orlandi and Pichelmann (OP, 2000), Scott (SC, 2000) and Proietti, Musso and Westermann (PMW, 2002). A reduced form of the augmented Phillips curve is used in most of the papers for relating the output gap to tensions in the goods market measured by the inflation rate (see KU, GS, AJ, KI and PMW). An Okun's law is sometimes added in order to link the output gap to constraints on the labour factor (see AJ, OP, SC and PMW); this relationship, which relates the output gap to the unemployment gap, is a reduced form of a labour supply equation combined with an employment equation. Finally, a relationship between the output gap and the capacity utilisation rate is sometimes used to link the output gap to constraints on the capital factor (see SC and PMW). In this paper, the MUC model incorporates a reduced Phillips equation and an Okun's law.

The multivariate approach improves the UC model by using some economic content in order to disentangle the trend and the cycle. Rünstler (2002) has shown that the filter uncertainty of MUC models is lower than that of UC models. The choice of these economic relationships is directly related to an explicit representation of excess supply or excess demand in specific markets, which can be helpful for the interpretation of business cycle movements.

The specification we have retained for the multivariate unobserved component model is described by the state-space model (9), which contains three measure equations and six transition equations. The first measure equation decomposes output  $y$  into a trend  $y^*$ , a cycle  $c^{ycle}$  and an irregular component  $\varepsilon^y$ . The second measure equation is the well-known Phillips curve, in which inflation  $\dot{P}^C$  is related to its lags, to the output gap and to the terms of trade. The coefficients of the lagged inflation series ( $\gamma_1, \gamma_2$  and  $1-\gamma_1-\gamma_2$ ) have a sum constrained to be equal to one (non-accelerating inflation). The third measure equation draws on Okun's law which directly relates the output gap  $c^{ycle}$  to the unemployment gap  $U-U^*$ , through the Okun's coefficient  $\gamma_6$ . Other transition equations model the dynamics of state variables: a I(2) process for the potential output  $y^*$ ; a Harvey cycle for the output gap

$c^{ycle}$ ; a I(2) trend for the Nairu  $U^*$ . As the potential output  $y^*$  and the Nairu  $U^*$  are modelled as a I(2) processes, their slopes  $y^{**}$  and  $U^{**}$  are modelled as random walk processes.

$$\left\{ \begin{array}{l} y_t = y_t^* + c_t^{ycle} + \varepsilon_t^y \\ \dot{P}_t^C = \gamma_1 \dot{P}_{t-1}^C + \gamma_2 \dot{P}_{t-2}^C + (1 - \gamma_1 - \gamma_2) \dot{P}_{t-3}^C + \gamma_3 c_t^{ycle} + \gamma_4 (\dot{P}_{t-1}^M - \dot{P}_{t-1}^C) + \gamma_5 (\dot{P}_{t-2}^M - \dot{P}_{t-2}^C) + \varepsilon_t^{\dot{P}^C} \\ U_t = U_t^* + \gamma_6 c_{t-1}^{ycle} + \varepsilon_t^U \\ y_{t+1}^* - y_t^* = y_t^{**} \\ y_{t+1}^{**} = y_t^{**} + \varepsilon_t^{y^{**}} \\ c_{t+1}^{ycle} = \gamma_7 (\cos(\gamma_8)(c_t^{ycle}) + \sin(\gamma_8)c_t^{ycle*}) + \varepsilon_t^{c^{ycle}} \\ c_{t+1}^{ycle*} = \gamma_7 (-\sin(\gamma_8)(c_t^{ycle}) + \cos(\gamma_8)(c_t^{ycle*})) + \varepsilon_t^{c^{ycle*}} \\ U_{t+1}^* - U_t^* = U_t^{**} \\ U_{t+1}^{**} = U_t^{**} + \varepsilon_t^{U^{**}} \end{array} \right. \quad (9)$$

where  $\varepsilon_t^y$ ,  $\varepsilon_t^{\dot{P}^C}$ ,  $\varepsilon_t^U$ ,  $\varepsilon_t^{y^{**}}$ ,  $\varepsilon_t^{U^{**}}$ ,  $\varepsilon_t^{c^{ycle}}$ ,  $\varepsilon_t^{c^{ycle*}}$  are Gaussian independent noises with variances  $\sigma_{\varepsilon,y}^2$ ,  $\sigma_{\varepsilon,\dot{P}^C}^2$ ,  $\sigma_{\varepsilon,U}^2$ ,  $\sigma_{\varepsilon,y^{**}}^2$ ,  $\sigma_{\varepsilon,U^{**}}^2$ ,  $\sigma_{\varepsilon,c^{ycle}}^2$  and  $\sigma_{\varepsilon,c^{ycle*}}^2 = q_{\varepsilon,c^{ycle*}} \sigma_{\varepsilon,c^{ycle}}^2 \cdot q_{\varepsilon,c^{ycle*}}$  is the signal-to-noise ratio. The output gap  $c^{ycle}$  is characterised by a damping factor  $\gamma_7$  and a frequency  $\gamma_8$  lying respectively in the intervals  $[0;1]$  and  $[0;\pi]$ .

### 2.3. The Structural Vector Autoregressive Model

An alternative approach used to estimate potential output based on economic modelling relies on structural vector autoregressive models (SVAR). Using such models allows for taking into consideration all interactions between the various endogenous variables and accounting for feedback effects (Sims 1980). By assuming that the dynamics of the endogenous variables are defined by an equivalent number of shocks such as supply, demand or nominal disturbances, such models allow for the explicit identification of such shocks and therefore of the sources of growth. Estimating a reduced-form and imposing some appropriate restrictions on the long-run variance-covariance matrix based on economic theory (Shapiro and Watson, 1988; Blanchard and Quah, 1989) leads to the identification of permanent and temporary shocks affecting the endogenous variables. Identifying restrictions are led by economic theory rather than by arbitrary smoothing parameters, as in statistical methods. Potential output can therefore be defined and identified as the sum of the deterministic and permanent components, which can be given an economic interpretation, while the cycle results from temporary shocks. Thus, estimates of potential output are in principle not subject to any end-of-sample biases and are insensitive to the initial guesses for the parameters as is the case in statistical methods. Moreover, SVAR models do not impose undue restrictions on the short-run dynamics of the permanent component of output, the estimated potential output being allowed to differ from a strict random walk. At the same time, the specification of SVAR models has some drawbacks. One needs to identify at most only as many types of shocks as there are variables. This is often hard to model in the case of larger VAR. In addition to that, results of SVAR models crucially depend on the identification process and thus the choice of exclusion restrictions. Even if these restrictions are based on theory, it is *a priori* “weak” economic theory leading identification. As a matter of fact restrictions are merely consistent with economic theory, but are not derived from fully specified economic models.

Our starting point is a canonical VAR in three variables: the inflation rate (the rate of growth of the private consumption deflator), the logarithm of output and the unemployment rate:

$$X_t = A(L)X_t + v_t \quad (10)$$

where  $X_t = [\dot{P}_t^c, y_t, U_t]$  is the vector of non-stationary endogenous variables.

The underlying theoretical model is derived from Blanchard and Quah (1989) and from the work of Bullard and Keating (1995) resumed in Camba-Mendez and Pallenzuela (2001). One of the specifications of the Blanchard and Quah (1989) model linking output and unemployment has been enriched with an inflation equation that can be interpreted as a reduced Phillips curve: inflation depends on its lags, on the unemployment rate and on output.

The residuals of the canonical VAR ( $v$ ) are uninformative on the response of endogenous variables to shocks; to obtain response functions meaningful for the analysis of economic policy, we need to isolate the “structural shocks”. Thus, while the canonical residual of, say, unemployment collects information on all the unexpected movements of the variable, the corresponding structural residual is

obtained by eliminating all feedback mechanisms triggered by changes in the other variables. Thus, the structural residual can be interpreted as an autonomous, discretionary shock, a structural shock whose effects on the other variables can be examined by means of the impulse response functions (IRF).

Recovering structural parameters from the reduced ones requires imposing restrictions in order to identify the model (see Appendix B). The procedure originally suggested by Sims (1980) to pass from canonical to structural innovations consists in a triangularization of the residual covariance matrix. It was soon criticized as being arbitrary and difficult to justify from an economic viewpoint. Structural VARs, originally proposed by Shapiro and Watson (1988), aimed at substituting this identification procedure with one that has sounder roots, in the sense that the constraints on the variance matrix of residuals stem from economic behaviour. Specifically, Shapiro and Watson, like Blanchard and Quah (1989) shortly after, impose long run restrictions by assuming that only supply shocks have permanent effects.

We follow the identification strategy proposed by Blanchard and Quah (1989) and impose  $n(n+1)/2$  restrictions. We assume orthonormality of the structural innovations  $\Sigma_\varepsilon = I$  and  $n(n-1)/2$  long-run restrictions which impose conditions on  $T(1)$  the long-run multiplier matrix. By doing so, we force the long-run multiplier of specific shocks to specific variables to be equal to zero.

With a 3-variable model we impose  $3*(3-1/2) = 3$  zero long-run restrictions. The long-run solution of our specific model with three variables and three zero restrictions can be expressed by the following long-run representation (abstracting from the deterministic component):

$$\begin{bmatrix} \dot{P}^c \\ y \\ U \end{bmatrix} = \begin{bmatrix} T_{11}(1) & 0 & 0 \\ T_{21}(1) & T_{22}(1) & 0 \\ T_{31}(1) & T_{32}(1) & T_{33}(1) \end{bmatrix} \begin{bmatrix} \varepsilon_{\dot{p}^c} \\ \varepsilon_y \\ \varepsilon_U \end{bmatrix} \quad (11)$$

These constraints imply that inflation is determined in the long run by only one structural shock labelled inflation shock ( $\varepsilon_{\dot{p}^c}$ ). Following Bullard and Keating (1995)  $\varepsilon_{\dot{p}^c}$  reflects shocks to fundamentals affecting transaction costs and having a long-run impact on inflation and output. Therefore output is affected by two structural shocks: the inflation shock and the output shock ( $\varepsilon_y$ ) interpreted as productivity or a technology production shock by Blanchard and Quah (1989). Unemployment is affected by three structural shocks: the inflation shock, the productivity shock and the unemployment shock ( $\varepsilon_U$ ) interpreted as demand shock by Blanchard and Quah (1989). Once the three shocks are identified and their impact on each endogenous variable calculated through the IRFs, potential output and the structural unemployment can be calculated as the sum of their deterministic component and of the impact of the permanent shocks (section 3.3).

### 3. Alternative estimation for potential output and output gap for the euro area

This section provides the core results of the estimation of potential output, the output gap, the NAIRU and the Phillips' curve using various methods namely a production function based model estimated with the Kalman filter (Subsection 3.1), a

multivariate unobserved components model assuming an Okun's law estimated with the Kalman filter (Subsection 3.2) and a SVAR model (Subsection 3.3). Econometric estimations use quarterly data over the 1970-2006 period. Data are described in Appendix C. Kalman Filter estimations were performed with the Matlab and E-views 6 programs whereas the SVAR estimations were performed with the RATS and E-views 6 programs. The data and scripts used are available upon request. Appendix D describes the Matlab program used for Kalman filter estimations.

### 3.1 The “model-based” production function approach

The Kalman filter estimations using the of models (4), (5) and (7) are displayed in Table 2. As in many empirical studies, the signal-to-noise ratio is the only calibrated coefficient. All estimation trials did not give consistent results: they generally lead to a very high value and thus to very volatile TV-coefficients. Labour participation depends on the change in unemployment thus rendering a discouraged-worker effect: a 1 point increase in the unemployment rate would lead to a 0.31 point decrease in the labour participation ratio (Model (5)). Productivity appears to be influenced by the relative cost between labour and capital (Model (7)). If we assume that the share of value added going to profit ( $\alpha$ ) is 30%, the estimated elasticity of substitution of labour ( $\rho_1$ ) is 36%. This is much lower than the elasticity of the Cobb-Douglas production function (100%). The sharp increase in the relative cost of labour to capital in the 1970's has led to a growth in labour productivity higher than the growth in technical progress. The disinflationary policy implemented in euro area countries has led to the opposite mechanism from the 1980's: the slowdown in wage growth and the interest rate hike has led to a lower growth of potential productivity than of the technical progress.

**Table 2. Parameters estimates of production function based models**


Model (4)			Model (5)			Model (7)		
Explained variable: $\dot{P}_t^C$			Explained variable: $P_t^{art}$			Explained variable: $p_t^{rod}$		
$\dot{P}_{t-1}^C$	0.45 (5.2)	$\beta_1$	$U_t$	0.31 (5.2)	$\lambda$	$r_t^c$	0.36 (2.2)	$\rho_1$
$\dot{P}_{t-2}^C$	0.39 (3.9)	$\beta_2$				Damping factor	0.85 (15.8)	$\rho_2$
$U_t - U_t^*$	0.09 (2.0)	$\beta_3$				Frequency	0.27 (2.3)	$\rho_3$
$\dot{P}_{t-1}^M - \dot{P}_{t-1}^C$	0.06 (4.1)	$\beta_4$						
$\dot{P}_{t-2}^M - \dot{P}_{t-2}^C$	-0.05 (3.5)	$\beta_5$						
$\tilde{C}_t^{UR}$	0.07 (3.0)	$\beta_6$						
$\varepsilon_t^{\beta^C}$	0.09	$\sigma_{\varepsilon, \beta^C}^2$	$\varepsilon_t^{p^{art}}$	0.02	$\sigma_{\varepsilon, p^{art}}^2$	$\varepsilon_t^{p^{rod}}$	4.5e-8	$\sigma_{\varepsilon, p^{rod}}^2$
$\varepsilon_t^{U^{**}}$	0.0002	$q_{\varepsilon, U^{**}}$	$\varepsilon_t^{\tilde{p}^{art**}}$	0.01	$q_{\varepsilon, \tilde{p}^{art**}}$	$\varepsilon_t^{e^*}$	1.6e-7	$\sigma_{\varepsilon, e^*}^2$
						$\varepsilon_t^{c^{ycle}}$	1.7e-5	$\sigma_{\varepsilon, c^{ycle}}^2$
						$\varepsilon_t^{c^{ycle*}}$	1	$q_{\varepsilon, c^{ycle*}}$

Source: authors' calculations, Student statistics are shown in the parenthesis.

For the computation of potential output according to (2), we assume that the population is independent from economic activity which seems a reasonable hypothesis at least for developed countries. Hence, the potential working-age population is working-age population itself and we do not need to apply a HP filter. This is all the more justified that population data are already smooth. The potential labour participation rate and the potential labour productivity are calculated according to Equations (6) and (8).

Because of the additive property of Equation (3), the calculation of the contributions of the unemployment gap, labour participation gap and productivity gap to the output gap is straightforward (Graph 1). According to this model, the output gap would be slightly positive at the end of the sample because productivity would be above the potential. On the contrary, the unemployment and the labour participation gaps would be negative. Moreover, because of the discouraged-worker effect, a share of the labour participation gap may be expressed as a function of the unemployment gap. This share appears to be the most important one since the labour participation gap corrected for the unemployment gap lies always below 0.36%.


**Graph 1. Contribution to the Output gap**



Source: authors' calculations.

The additive property of Equation (2) allows also for a straightforward calculation of the contributions to potential growth (Graph 2). The determinants of potential growth are the change in the unemployment rate and the population growth rate, potential productivity and the potential labour participation ratio.

**Graph 2. Contribution to the potential growth**



Source: authors' calculations.

### 3.2. The Multivariate Unobserved Components Model

Formally, all equations in model (9) are estimated simultaneously with the Kalman smoother and the EM algorithm. Innovation variances  $\sigma_{\varepsilon, y^{**}}^2$  and  $\sigma_{\varepsilon, U^{**}}^2$  are initialised with those of the trends and cycles computed by HP filters. Coefficients of the Phillips and Okun equations are initialised by estimating ordinary equations, where the gap is computed using a HP filter. In order to ease the convergence of the EM algorithm, the variance of Nairu innovations ( $\sigma_{\varepsilon, U^{**}}^2$ ) is constrained to be equal to a noise-signal ratio ( $q_{\varepsilon, U^{**}}$ ) times the variance of the unemployment gap ( $Var(U_t - U_t^*) = \sigma_{\varepsilon, U}^2 + \gamma_6^2 \sigma_{\varepsilon, cycle}^2 / (1 - \gamma_7^2)$ ).

Results of the estimation are displayed in Table 3. The output gap has a frequency equal to 0.27, which corresponds to an average period of 5.8 years. A 1% output gap would imply a positive shock on inflation, equal to 0.04%. Because of the estimated Okun's law, it corresponds to a negative unemployment gap (-0.61%). However, contrary to the lags of inflation and of the terms of trade, the elasticity of the output gap is not significant at a 5% level, in the inflation equation.

The smoothed estimate of the output gap and its confidence band are presented in Graph 3. The output gap is very smooth, with four troughs (1975:3, 1984:4, 1994:1 and 2005:1), which are significantly different from zero. At the end of the sample, the gap appears close to balance (-0.6% in 2007:1, which is not significantly different from 0). The potential growth rate is quite volatile and this makes it difficult to interpret it; its final value is equal to 2.0% (Graph 5). The NAIRU decreases to 6.9% in 2007:1 from its peak of 9.8% in 1997:1 (Graph 6).




**Table 3. Parameters estimates of the MUC model**

Model (9)		
Explained var. : $y_t, \dot{p}_t^C, U_t$		
$\dot{p}_{t-1}^C$	0.50 (5.6)	$\gamma_1$
$\dot{p}_{t-2}^C$	0.40 (4.4)	$\gamma_2$
$c_t^{ycle}$	0.04 (1.5)	$\gamma_3$
$\dot{p}_{t-1}^M - \dot{p}_{t-1}^C$	0.06 (3.2)	$\gamma_4$
$\dot{p}_{t-2}^M - \dot{p}_{t-2}^C$	-0.05 (-2.9)	$\gamma_5$
$c_{t-1}^{ycle}$	-0.61 (-3.6)	$\gamma_6$
Damping factor	0.99 (198.0)	$\gamma_7$
Frequency	0.27 (22.9)	$\gamma_8$
$\varepsilon_t^y$	7.91e-6	$\sigma_{\varepsilon,y}^2$
$\varepsilon_t^{\dot{p}^C}$	9.40e-6	$\sigma_{\varepsilon,\dot{p}^C}^2$
$\varepsilon_t^U$	1.24e-16	$\sigma_{\varepsilon,U}^2$
$\varepsilon_t^{y^{**}}$	6.00e-6	$\sigma_{\varepsilon,y^{**}}^2$
$\varepsilon_t^{c^{ycle}}$	2.79e-6	$\sigma_{\varepsilon,c^{ycle}}^2$
$\varepsilon_t^{c^{ycle*}}$	1	$q_{\varepsilon,c^{ycle*}}$
$\varepsilon_t^{U^{**}}$	3.57e-4	$q_{\varepsilon,U^{**}}$

Source: authors' calculations.

**Graph 3. Output gap estimate in the MUC model**



Source: authors' calculations.

### 3.3. The Structural Vector Autoregressive Model

In our canonical VAR in three variables (the inflation rate, the logarithm of output and the unemployment rate)

$$X_t = A(L)X_t + e_t \quad (12)$$

$X_t = [\dot{P}_t^C, y_t, U_t]$  is a vector of non-stationary endogenous variables as output, inflation and the unemployment rate can be considered as I(1) variables. It is then common to use their first difference before estimating the VAR coefficients. Nevertheless, the resulting VAR model in first differences can be written as a VAR model with variables expressed in levels and constraints on some coefficients. When proceeding to estimation of the VAR model in level with no constraints on coefficients, superconvergence of the LS estimators leads to an estimation close to that of the constrained VAR and to residuals of the VAR equations which are I(0) variables. We rely on a well-known principle for an equation including I(1) variables. If the equation is autoregressive with staggered lags and if it is estimated with LS, the estimate will not be spurious. In fact, superconvergence of the LS estimators leads to an equation which can be expressed in terms of I(0) variables. Therefore we choose to work directly with I(1) variables, in order to facilitate output gap calculations.

It is crucial that the estimated VAR includes a sufficient number of lags. DeSerres and Guay (1995) show that information-based criteria (Akaike or Schwarz) tend to select an insufficient number of lags whereas Wald or likelihood ratio tests perform much better. We performed different tests (Table 4) and we retained a 6-lags structure.

**Table 4. Lag selection criteria**

Lag order selection criteria	Sequential modified LR test	Final predictor error	Akaike information criterion	Schwarz information criterion	Hannan-Quinn information criterion	Lag exclusion Wald test
Lag order selected by the criterion	6	6	6	2	2	6

We interpret the results of the Fisher tests of the VAR model, which appear consistent with our priors (Table 5). In the inflation equation, the lags of inflation and of unemployment are globally significant. However, lagged output does not help to explain present inflation. In the output equation, the lags of output and of unemployment are globally significant. However, past unemployment does not explain present output. Finally, in the unemployment equation lags of the three variables are globally significant.

Concerning instantaneous correlations of canonical residuals (Table 6), only the one between output and unemployment is significantly different from zero (-0.53).

**Table 5. Parameters estimates of the SVAR model – Fisher test**

Dependent variable : $\dot{p}^c$			Dependent variable: $y$			Dependent variable: $U$		
	F-Statistics	Significance		F-Statistics	Significance		F-Statistics	Significance
$\dot{p}^c$	65.29	0.00	$\dot{p}^c$	6.34	0.00	$\dot{p}^c$	3.87	0.00
$y$	0.26	0.93	$y$	13740.35	0.00	$y$	6.95	0.00
$U$	2.39	0.04	$U$	1.49	0.20	$U$	4099.07	0.00

Source: authors' calculations.

**Table 6. Covariance-correlation matrix of residuals of the VAR model**

	$\dot{p}^c$	$y$	$U$
$\dot{p}^c$	0.08	-0.06	0.08
$y$	-0.00	0.00	-0.53
$U$	0.00	0.00	0.00

Source: authors' calculations.

Once our SVAR model has been identified (Section 2.3) we rely on the historical decomposition in order to calculate the structural component of output and unemployment.

We use the moving average representation of the structural model (equation 13), where  $T(L)$  is a matrix of polynomial lags and the vector  $\varepsilon_t$  is the one-step ahead forecast errors in  $X_t$  given the information on lagged values of  $X_t$ :

$$X_t = \mu + T(L)\varepsilon_t \quad (13)$$

For a specific date  $N$ , the moving average can be expressed as the sum of the forecast for  $y_{N+j}$ , based on the information in time  $N$  (the term in brackets in equation (14), and of the part based on the time path of the different shocks in the vector of the structural residuals  $\varepsilon_t$ , between the dates  $N+1$  and  $N+j$ .

Formally, this can be written as:

$$X_{N+j} = \sum_{k=0}^{j-1} T(k)\varepsilon_{N+j-k} + \left[ \mu + \sum_{k=j}^{\infty} T(k)\varepsilon_{N+j-k} \right] \quad (14)$$

In equation (14), the terms in brackets provides the “base projection” of the time series, that is the projection based on the information available at date  $N$  (the deterministic and stochastic part up to date  $N$ ). The first term of the right side of equation (14) contains, for each of the  $\varepsilon_t$ , the part of  $X$  due to the time path between  $N+1$  to  $N+j$ . This term constitutes the forecast error due to the new structural innovations that hit the system, that is, the part which could not be forecasted at date  $T$  and which is the result of structural shocks. In other words, we can attribute the unexpected variation in  $X_{T+j}$  to individual structural innovations hitting the economy.

By computing  $y_t$  as a function of all supply shocks occurring in the time period from the beginning to the end of the sample, we obtain the permanent component of the output in time  $t$ . Thus, potential output can be defined as being determined by its deterministic component and by its supply (or permanent) component and obtained as the sum of the “baseline projection” and of the supply shock.

The same calculation is carried out on  $u_t$  in order to obtain the NAIRU.

According to this model, the output gap (Graph 4) is quite uneven, with five major troughs (1975:2, 1978:1, 1986:1, 1992:4, 1996:1) and shows a positive output gap at the end of the sample. The persistent negative output gap never closes in the nineties until the end of 1999. Ever since effective output exceeds potential output. Peaks coincide with higher than average inflation and troughs with disinflationary episodes. Growth of potential output (Graph 5) is also rather unstable (ranging from -1.2% to 4.2%) and quite close to the effective GDP growth rate.

In spite of a persistent negative output gap, the NAIRU estimate (Graph 6) declines at the end of 1997 although it picks up again in the 2002-2004 period. The

effective rate of unemployment is lower than the NAIRU since the end of 1999. At the end of the sample the NAIRU reaches 8% of the labour force, while the effective unemployment rate attains 7.3%.

### 3.3. Comparison of components from different models

The different methods compared in this paper provide output gap estimates, which are similar in terms of peaks and troughs, but very different in terms of amplitude (Graph 4). The HP output gap shows the lowest amplitudes with standard deviations equal to 1.0 (Table 7). Output gaps obtained with other methods are equal to 1.3.

The SVAR output gap present two peculiarities: contrary to other output gaps, it does not show any positive peak at beginning of the 1990's and any negative trough at the beginning of the 2000's. Indeed, since 2001, potential growth of the SVAR model is very close to effective growth, while other models provide quite stable potential growth rates (around 2%, see Graph 5). Finally, the SVAR output gap has the lowest correlation with the capacity utilization rate (0.39, Table 7) and this illustrates the difficulty for interpreting the evolution of such a gap.

The MUC model gives the smoothest output gap estimate (Graph 4) whereas the smoothest estimate of the potential growth is provided by the PF approach and the HP filter (Graph 5). Nevertheless, the PF estimate of the potential growth seems more satisfactory than the HP one because it is less cyclical. The cyclical nature of the HP estimate is not surprising since it provides the GDP trend and not a real estimate of the potential output. All of the NAIRU estimates show a global decline since the mid-1990's, but the NAIRUs of the MUC and PF models are smoother than those of other models (Graph 6). This outcome is quite predictable since the specifications of the Phillips curve in both models are quite similar. Moreover, the MUC model provides the lowest NAIRU at the end of the sample (6.9% in 2007:1). In 2007:1, the highest estimate (8%) is provided by the SVAR model and it is higher than the effective unemployment rate (7.3%).


**Table 7. Descriptive statistics**

	<b>HP</b>	<b>PF</b>	<b>MUC</b>	<b>SVAR</b>
<b>Maximum</b>	2.4%	4.2%	2.7%	1.7%
<b>Minimum</b>	-2.5%	-3.6%	-1.9%	-3.4%
<b>Mean</b>	0.0%	-0.3%	-0.1%	-0.6%
<b>Standard deviation</b>	1.0%	1.7%	1.3%	1.3%
<b>CUR correlation</b>	0.70	0.66	0.54	0.39

Legend: HP = Hodrick-Prescott filter; PF = production function based model; MUC = multivariate unobserved components models; SVAR = structural VAR model. CUR correlation: correlation of output gaps with capacity utilization rate.

Source: authors' calculations.


**Graph 4. Output gap of the euro area, estimated with various methods**



Legend: HP = Hodrick-Prescott filter; PF = production function based model; MUC = multivariate unobserved components models; SVAR = structural VAR model.

Source: authors' calculations.


**Graph 5. Potential growth with various methods**



Legend: HP = Hodrick-Prescott filter; PF = production function based model; MUC = multivariate unobserved components models; SVAR = structural VAR model.

Source: authors' calculations.

**Graph 6. NAIRU with various methods**



Legend: HP = Hodrick-Prescott filter; PF = production function based model; MUC = multivariate unobserved components models; SVAR = structural VAR model.

Source: authors' calculations.

### 3.4. Comparing turning points from different models

The turning points of each output gap estimate are computed with the standard Bry-Boschan algorithm. For each output gap  $x_{i,t}$ , a chronology  $S_{i,t}$  is deduced, which takes the unit value in the case of an expansion and a zero value in the case of a slowdown. Then, each chronology  $S_{i,t}$  is characterized by two basic statistics, the averaged duration of expansions and of slowdowns. It is also compared to the reference chronology  $R_t$  of Anas et al. (2008, see table 2, p. 10), which has two main advantages:

- this is a growth cycle chronology like ours;
- this chronology has been built with the NBER 3D's philosophy (deepness, duration, diffusion) implemented through the algorithm of Harding and Pagan (2002).

Moreover, this chronology could become a reference one, as Eurostat is currently assessing it. The comparison of each chronologies  $S_{i,t}$  with the reference chronology  $R_t$  is performed through the concordance statistic:

$$C_i = T^{-1} \sum_{t=1}^T [(S_{i,t} \cdot R_t) + (1 - S_{i,t})(1 - R_t)].$$

Results are displayed in the Table 8. Slowdown periods appear generally slightly shorter than expansions. The averaged durations for HP, PF and SVAR chronologies are close to those of Anas et al. (2008), around 2 years for expansions and around 1.5 year for slowdowns. The averaged durations are almost twice longer for the MUC chronology. HP and PF chronologies are closer to the reference chronology (concordance of respectively 0.78 and 0.76) than MUC and SVAR ones (concordance of respectively 0.63 and 0.48).

**Table 8. Comparison of growth cycle chronologies**

	REF	HP	PF	MUC	SVAR
<b>Expansion duration</b>	9.3	8.0	8.9	14.2	6.6
<b>Slowdown duration</b>	5.5	6.2	7.1	11.4	8.3
<b>Concordance</b>	1.00	0.78	0.76	0.63	0.48

Legend: REF = reference chronology of Anas et al. (2008); HP = Hodrick-Prescott filter; PF = production function based model; MUC = multivariate unobserved components models; SVAR = structural VAR model. Averaged durations of expansions and slowdowns are measured in quarters. Concordance: concordance of expansion/slowdown chronologies dated with each output gap and with the reference chronology.

Source: authors' calculations.

### 3.5. Comparison of inflation forecasts from different models

The different models are compared according to their ability to forecast inflation (Table 9). The naive model, specified as a random walk model, is used as a benchmark. The modified Diebold-Mariano statistic is used in order to test if a model is statistically better than the naive model for out-of-sample forecasts of inflation (see Harvey, Leybourne and Newbold, 1997, for details about this test). The MUC model is better than the naive model for short run horizon (RRMSE<1 for horizons 1 and 2), but this advantage is not statistically significant according to the modified Diebold-Mariano test. The SVAR model is better than the random walk model for medium run horizon (RRMSE<1 for horizon 6) but this advantage is not significant either. The PF model performs worse than the naive model except for the shortest horizon (RRMSE>1).

**Table 9. Inflation forecast with various methods**

Model	Horizon	RMSE	RRMSE	Modified DM	P-value
Random Walk	1	0.19	1.00	-	-
	3	0.23	1.00	-	-
	6	0.19	1.00	-	-
	12	0.20	1.00	-	-
PF	1	0.18	0.94	-0.36	0.72
	3	0.24	1.05	0.24	0.81
	6	0.23	1.20	0.82	0.42
	12	0.23	1.16	0.23	0.82
MUC	1	0.17	0.90	-0.67	0.51
	3	0.21	0.90	-0.53	0.60
	6	0.21	1.07	0.24	0.81
	12	0.34	1.73	0.55	0.59
SVAR	1	0.21	1.10	0.43	0.68
	3	0.26	1.13	0.59	0.57
	6	0.18	0.91	-0.35	0.73
	12	0.39	1.95	0.32	0.75

Legend: RMSE (root mean squared errors); RRMSE : ratio between the RMSE of the model tested to the RMSE of the naive model (Random walk); Modified DM : modified Diebold-Mariano statistic; p-value associated the absolute value of the modified DM statistics.

Source: authors' calculations.



#### 4. Real time estimation

The empirical comparison focuses now on the real-time properties of the PF, MUC and SVAR models. The HP filter is used as a benchmark. Estimates and revisions of output gaps are also computed with various horizons. For each method, two estimates of output gaps are compared:

- *real-time estimates* of output gaps at the date  $t$  are estimated with the sample  $[1970:1 ; t]$ , which is available at the first publication of all required variables at the date  $t$ ;
- *quasi real-time estimates* of output gaps at the date  $t$  with an horizon  $h$  are estimated with the revised sample  $[1970:1 ; t]$ , which is available  $h$  months after the first publication of all required variables at the date  $t$ ;
- *revised estimates* of output gaps at the date  $t$  with an horizon  $h$  are estimated with the sample  $[1970:1 ; t+h/4]$ , which is available  $h$  months after the first publication of all required variables at the date  $t$ ;

with  $t = 2000:3, \dots, 2007:1$ ,  $h = 1, 3, 6, 12, 24$  or  $36$  months and  $q = 0, 1, 2, 4, 8, 12$  quarters the horizon expressed in quarters. Then, for the horizon  $h$ , the *real time revisions* of output gaps are the differences between the revised estimates of output gaps and their real-time estimates. The *data revisions* correspond to the differences between the quasi real-time estimates of output gaps and their real-time ones. The *quasi-real time revisions* are computed as the difference between the quasi real-time and the revised estimates. The root mean squared errors (RMSE) of all those revisions are presented in Table 10.

In the case of the HP filter, the general result shown by Orphanides and Van Norden (2002), shown for the main univariate methods, is confirmed for all horizons. The impact of data revisions (RMSE between 0.05 and 0.12 for  $h$  between 1 and 36 months) is low compared to real-time revisions (RMSE between 0.11 and 1.03 for  $h$  between 1 and 36 months). Moreover, the data revisions of the HP filter are lower than those of other methods. This reflects the famous end of the sample bias of the HP filter where new data often modify the last HP estimate.

The stability of multivariate estimates, shown with quasi real-time estimates by Camba-Mendez and Rodriguez-Palenzuela (2003), is confirmed with a real-time dataset. For a sufficiently long horizon, *e.g.* 12 months, the RMSE of the HP filter in real-time (0.60) is higher than those of multivariate methods (0.51 for the MUC approach and 0.33 for the SVAR model). For short horizons, *e.g.* 1 or 3 months, the real-time revisions are not worse with the HP filter (RMSE equal to 0.11 for  $h = 1$ ) than with multivariate methods (0.12 for the MUC approach and 0.14 for the SVAR model). Because of its autoregressive structure with long lags, the SVAR model implies the lowest revision with a relatively stable RMSE across time horizon.

Using the production function based approach, the real-time revisions are larger than those of other methods from horizons 3 to 12 (RMSE of 0.61 for  $h = 3$  months and 0.75 for  $h = 12$  months). However, real time revisions become smaller than those of the HP filter and of the MUC model for the longest horizon (RMSE of 0.55 for  $h = 36$  months).

**Table 10. Comparison of output gap revisions**

<b>Horizon</b>	<b>Revision type</b>	<b>HP</b>	<b>PF</b>	<b>MUC</b>	<b>SVAR</b>
1 month	Real-time	0.11	0.39	0.12	0.14
	Data revision	0.05	0.15	0.09	0.09
3 months	Real-time	0.19	0.61	0.17	0.23
	Data revision	0.08	0.21	0.13	0.14
6 months	Real-time	0.34	0.79	0.28	0.32
	Data revision	0.10	0.27	0.13	0.19
12 months	Real-time	0.60	0.75	0.51	0.33
	Data revision	0.12	0.34	0.15	0.23
24 month	Real-time	0.89	0.61	0.76	0.40
	Data revision	0.12	0.34	0.17	0.31
36 months	Real-time	1.03	0.55	0.84	0.51
	Data revision	0.12	0.29	0.16	0.38

Legend: The real-time revisions of the output gap (type “Real-time”) and the impact on it of data revisions (type “Data revision”) are computed for each method and various time horizons by the root mean squared error (RMSE). HP = Hodrick-Prescott filter; PF = production function based model; MUC = multivariate unobserved components models; SVAR = structural vector auto-regressive model.

Source: authors’ calculations.

## **5. Ranking and concluding remarks**

This paper has explored the forecasting power and real-time properties of different approaches used for estimating potential output. This empirical achievement has been obtained by improving the theoretical framework of the production function approach, before its comparison with the multivariate unobserved components (MUC) approach and with the structural vector auto-regressive (SVAR) approach. The main conclusion is that the different estimation methods of the potential output have all advantages and drawbacks. The choice of the estimation strategy depends on the specific needs of the final user of output gap estimates.

If the user is mainly interested in understanding the structural determinants of the potential output, the PF approach is preferable. It has stronger and more precise theoretical foundations than the multivariate unobserved components and the SVAR approaches. In particular, MUC models rely on the existence of an Okun’s law, a short-term relationship that is not consistent with the production function theory. By representing the potential output as an optimal use of production factors, the PF approach allows analysing the economic determinants of potential growth, in particular the impact of demography, of the NAIRU, of the participation behaviour and of labour costs. This is particularly useful from a policy perspective since the understanding of the determinants of potential growth is crucial when implementing structural economic policies. Although the PF method is difficult to implement because of the high number of hypothesis and parameters, the specification proposed in this paper does not rely on the imprecise series of the capital stock. As other multivariate methods (MUC and SVAR), the PF approach has better real-time

properties than the univariate HP filter. Indeed, the HP estimate is largely revised like all univariate methods (see Orphanides and Van Norden, 2002). However, real-time analysis could be completed by uncertainty criteria, which we would like to implement in future research.

If the final user is mainly interested in providing precise inflation forecasts, the multivariate unobserved components model and the SVAR model seem more appropriate than the PF approach. For business cycle analysis, the MUC model seems preferable to the SVAR one: in terms of peaks and troughs, the SVAR estimate is less concordant with the reference chronology than those of other methods.

## Appendix A. The production function approach

Our PF model consists in 3 estimated economic behaviours: (1) a reduced Phillips curve in order to estimate the NAIRU, (2) a labour participation equation and (3) a productivity equation. In this Appendix, we give the theoretical background of each relation.

### A.1. Phillips curve and NAIRU

There are mainly two estimation methods of the NAIRU (or equilibrium rate of unemployment). The structural approach follows a two-stage procedure. First, a structural model of wage and price equations is estimated. As the NAIRU is the unemployment rate that stabilises inflation, it can then be calculated as a function of the estimated parameters and of the variables of the structural model (see Chagny, Reynès and Sterdyniak, 2002, or Heyer, Reynès and Sterdyniak, 2007). The popular Time-Varying (TV) NAIRU reduced approach inspired by the Gordon (1997) triangle model has only one step. The NAIRU is estimated simultaneously with a reduced Phillips curve using the Kalman filter. The Gordon (1997) triangle model states that inflation depends on past inflation (adaptive expectation), the unemployment gap, *i.e.* the gap between the unemployment rate and the NAIRU ( $U^*$ ) and temporary supply shocks:

$$\dot{P} = \gamma \dot{P}_{-1} - \beta(U - U^*) + \mu S^S + \varepsilon \quad (13)$$

where  $P$  is the price level,  $S^S$  the supply shocks and  $\varepsilon$  a white noise.

It can be shown how this model can be deduced from a structural model of wage and price equations (Heyer, Reynès and Sterdyniak, 2007). Most of the time, a full indexation on the past inflation is assumed ( $\gamma = 1$ ) so that the NAIRU is independent of inflation because of the absence of trade-off between unemployment and inflation.

The latter equation is estimated simultaneously with the one of  $U^*$  which may be a purely stochastic process or also depend on observable variables suggested by economic theory (the unemployment rate in case of hysteresis<sup>5</sup>, labour productivity, the interest rate, the minimum wage level, trade union membership, the unemployment benefit replacement rate). Thus a general specification is:

$$U_t^* = U_{t-1}^* + \varphi \Delta U_{t-1} + \rho + \delta X_t + \varepsilon_t' \quad (14)$$

where  $\varphi$  is a constant,  $\rho$  a trend,  $X$  a set of exogenous variables and  $\varepsilon'$  a white noise.

In the literature, the specification is generally a particular case of Equation (14). Following Gordon (1997) and King *et al.* (1995), the long-term ERU ( $ERU_{LT}$ ) is often specified as a random walk (Equation (15) in Table A.1). Since the random walk hypothesis often gives disappointing results in both cases of France and Europe (see Irac, 2000; Richardson *et al.*, 2000; Laubach, 2001), the econometric properties of the model may be improved in three ways simultaneously. The first is by testing other *ad hoc* stochastic specifications of the NAIRU, for instance by adding a stochastic trend (*e.g.* Equations (16) and (17) in Table A.1). The second is by trying to find observable determinants of the NAIRU (Equations (18) to (21) in Table A.1). The third approach used to improve the model entails adding other equations in which the NAIRU is assumed to have an influence. While some such additional equations, such as Okun's law (Equation (24) in Table A.1), have an economic interpretation, others are rather

<sup>5</sup> Hysteresis mechanisms are theoretically modelled by Blanchard and Summers (1987).

*ad hoc*. For instance, Equations (22) and (23) impose that the unemployment gap is stationary.

**Table A.1. Some specifications of the TV-NAIRU in the literature**

Constrained version of (14)		Authors
(15)	$U_t^* = U_{t-1}^* + \varepsilon_t^{U^*}$	Gordon (1997) / King <i>et al.</i> (1995) Irac (2000) drops the hypothesis of white noise: $\varepsilon_t^{U^{LT}} = \theta\varepsilon_{t-1}^{U^{LT}} + \varepsilon_t'$
(16)	$\Delta U_t^* = \chi' \Delta U_{t-1}^* + \varepsilon_t^{U^*}$	Richardson <i>et al.</i> (2000)
(17)	$U_t^* = U_{t-1}^* + \rho_t + \varepsilon_t^{U^*}$ with $\rho_t = \rho_{t-1} + \varepsilon_t^\rho$	Laubach (2001) Fabiani and Mestre (2001) Denis <i>et al.</i> (2002)
(18)	$U_t^* = U_{t-1}^* + \alpha U_{t-1} + \varepsilon_t^{U^*}$	Jaeger and Parkinson (1994)
(19)	$U_t^* = \varphi + \rho_t + \gamma X_t + \varepsilon_t^{U^*}$ with $\rho_t = \rho' t$ $X$ : real interest rate, tax wedge, trend growth rate of the GDP	Mc Morrow and Roeger (2000)
(20)	$U_t^* = U_{t-1}^* + \gamma X + \varepsilon_t^{U^*}$ $X$ : variations in the unemployment rate, the long-term interest rate and in the labour productivity growth, the ratio between the minimum wage and the average wage	Heyer and Timbeau (2002)
(21)	$U_t^* = U_{t-1}^* + \rho_t + \gamma X + \varepsilon_t^{U^*}$ with $\rho_t = \rho_{t-1} + \varepsilon_t^\rho$ $X$ : variations in the short-term interest rate and in the labour productivity growth	Logeay and Tober (2003)
Additional equations		Authors
(22)	$U_t - U_t^* = \nu(U_{t-1} - U_{t-1}^*) + \varepsilon_t$	Apel and Jansson (1999) Laubach (2001) Fabiani and Mestre (2001) Denis <i>et al.</i> (2002)
(23)	$\Delta U_t = \nu \Delta U_{t-1} - \nu'(U_{t-1} - U_{t-1}^*) + \nu'' X + \varepsilon_t$ $X$ : variation in inflation	Heyer and Timbeau (2002)
(24)	$y_t - y_t^* = -\nu(U_t - U_t^*) + \varepsilon_t$ with $y_t^* = \nu' + y_{t-1}^* + \varepsilon_t^{y^*}$ $Y$ and $Y^*$ are the effective and potential outputs.	Apel and Jansson (1999) Laubach (2001) Fabiani and Mestre (2001)

The higher the stochastic variation in the NAIRU, the higher the Signal-to-Noise Ratio (SNR), *i.e.* the higher the ratio between the variance of the econometric residuals of Equation (13) (signal) and the variance of the residuals of Equation (14) (noise). In theory, the SNR can be estimated by the Kalman filter, but in practice the results are disappointing. In many cases, the estimation does not converge. In others, it leads to a very low value described as a “pile-up problem” by Stock and Watson (1998). If the NAIRU is specified as a random walk (Equation (15)), the result is then an undesired “constant Time-Varying”-NAIRU. Stock and Watson (1998) show that the risk of the pile-up problem can be significantly reduced by use of the method of diffuse initialisation. This method involves initialising the Kalman algorithm with a high variance of errors before the estimation procedure (see Durbin and Koopman,

2001)<sup>6</sup>. Lastly, the estimated SNR sometimes gives a highly erratic NAIRU that is difficult to interpret from an economic point of view. In all these cases, the SNR is constrained in accordance with the Gordon (1997) smoothness criterion, which requires that the NAIRU be relatively smooth in order to be consistent with a long-term concept. However, this parameterisation is not very satisfactory because it can substantially influence the NAIRU estimation (see Heyer, Reynès and Sterdyniak, 2007).

When the NAIRU is modelled as a random walk, its forecast at a date  $t$  is equal to its estimated value at the last date  $T$ . Such a forecast raises two problems. First, the last estimated NAIRU depends on the value of the signal-to-noise ratio in the space-state model (the ratio of the innovation variance of the measure equation relative to that of the state equation). Secondly, the NAIRU is generally overestimated (respectively underestimated), when the unemployment decreases (respectively increases). For example, while, in 2004, the OECD forecasted that the NAIRU in the Euro area would remain stable around 8%, it revised its estimate of the NAIRU to 7.6% in 2006, because of the fall in unemployment.

For solving such problems, Heyer, Reynès and Sterdyniak (2007) proposed to explain the NAIRU evolution with observed variables, *e.g.* productivity and the interest rate: the NAIRU forecast can in this case be based on the forecast of these variables. Here, as in Heyer and Timbeau (2002), we relate the NAIRU evolution with the unemployment itself ( $\varphi \neq 0$ ).

### ***A.2. Participation rate and discouraged-worker effects***

Since the seminal work of Strand (1964) and Dernburg (1966), several studies have observed that the labour force participation depends on the labour market situation. According to the labour market economic theory, two opposite effects have to be distinguished. Because of an additional-worker effect, the labour force participation increases – respectively drops – when the unemployment rate increases – respectively drops. When the working member of the family loses his job, the other has a strong incentive to find a job. This increases labour force participation. However, a discouraged-worker effect goes against the additional-worker effect. When the economic situation is unfavourable, discouraged-unemployed people give up looking for a job because they see their chances of finding one as too small. Symmetrically, in recovery periods, some inactive people decide to look for job as their hiring prospects have increased. Most empirical studies show that the discouraged-worker effect is stronger than the additional worker effect so that at the macroeconomic level labour force participation increases – respectively drops – when the unemployment rate drops – respectively increases (*e.g.* Bloch *et al.*, 1986 ; Jacquot 1997 ; Chauvin and Plane, 2001; Fournier and Givord, 2001, Chagny *et al.*, 2001). Therefore, the labour force participation rate ( $P^{art}$ ) depends negatively on the unemployment rate:

$$P^{art} = \bar{P}^{art} - \lambda.U \quad (25)$$

This relation raises an important issue: the specification of the trend participation rate ( $\bar{P}^{art}$ ) is all the more important that it generally influences the estimation of the

---

<sup>6</sup> Stock and Watson (1998) also propose an unbiased estimator that reduces even further the risk of the pile-up problem.

discouraged-worker effects ( $\lambda$ ). Empirical studies generally show a trade-off between two specifications which both have their drawbacks. The determinist trend is easy to estimate but is not very realistic since it is in contradiction with the fact that the participation rate has an upper and a lower bound: It can go below 0 or above 100%. Such a trend is thus ineffective for participation rate projections. The logistic trend is theoretically preferable since it allows the estimation of an upper and lower bound. However, it has the disadvantage of being difficult to estimate because of its nonlinearity and its use is limited by the short sample generally allowed by annual data.

**Table A.2. Additional worker and discouraged-worker effects by sex and age**

Belgium, France, Italy, Germany, Japan, Spain											
Women						Men					
	15-19	20-24	25-54	55-59	60-64	15-19	20-24	25-54	55-59	60-64	
$U$	0.53 (73.7)	0.14 (16.7)	-0.45 (76)	0.23 (36.6)	0.24 (49.6)	0.53 (70)	0.21 (31.6)	0.04 (15.1)	0.37 (53.3)	0.68 (71.4)	$\lambda$
Canada, Denmark, Finland, The Netherland, United-Kingdom, United-States											
Women						Men					
	15-19	20-24	25-54	55-59	60-64	15-19	20-24	25-54	55-59	60-64	
$U$	0.95 (66.8)	0.42 (46.3)	0.15 (24.2)	0.29 (25.8)	0.21 (19)	1.01 (69.5)	0.36 (39)	0.14 (52)	0.25 (27.2)	0.50 (5.7)	$\lambda$

Source: Filatriau (2007).

Note: When positively-signed, the discouraged-worker effect is stronger the additional worker one. Student statistics between brackets.

To avoid these two problems, we use the Kalman filter methodology and thus simultaneously estimate the trend participation rate and the discouraged-worker effect ( $\lambda$ ). This method, which has recently been investigated by Filatriau (2007) on OECD panel data by sex and age, gave promising results. Based on a Fischer test, two groups of countries have been distinguished (Table A.2): an “Anglo-Saxon” group composed of Canada, Denmark, Finland, The Netherland, United-Kingdom, United-States and a “continental Europe” group composed of Belgium, France, Italy, Germany and Spain. Japan appears to exhibit the same pattern than this latter group. The results confirm that discouraged-worker effects prevail at the aggregate level. However, discouraged-worker effects are lower in the “continental Europe” group than in the “Anglo-Saxon” one suggesting higher additional worker phenomena. The additional worker effect would even be higher than the discouraged-worker one for women between 25 and 54 year-old.

### A.3. CES technology and endogenous productivity

Our productivity equation is deduced from a CES production function with an elasticity of substitution  $\rho$ :

$$Y = \left( (1-\phi)(N^e)^{(\rho-1)/\rho} + \phi K^{(\rho-1)/\rho} \right)^{\rho/(\rho-1)} = f(N^e, K) \quad (26)$$

where  $Y$  is output,  $E$  technical progress,  $N$  the employment,  $N^e = NE$  the efficient employment and  $K$  the capital stock.

Arrow *et al.* (1961) demonstrated that the CES function encompasses the Leontief function,  $Y = \text{Min}(N^e; K)$ , and the Cobb-Douglas function. They correspond to the case where the elasticity of substitution  $\rho$  tends towards 0 and 1.

Profit maximisation by the firm implies minimising production costs (27) under the technology constraint (26):

$$C = C^w N^e + C^k K \quad (27)$$

Where  $C^w$  and  $C^k$  are labour and capital cost.

The well-known first order condition says that at the optimum, the ratio between marginal productivities of labour and capital equals the one between their costs:

$$f'(N^e) / f'(K) = C^w / C^k \Leftrightarrow N^e / K = [\phi \cdot C^w / C^k / (1 - \phi)]^{-\rho} \quad (28)$$

By calculating  $(\partial(N^e / K) / \partial(C^w / C^k)) / ((N^e / K) / (C^w / C^k))$ , one can easily verify that the elasticity of substitution between capital and labour is:

$$\frac{\partial(N^e / K)}{N^e / K} \bigg/ \frac{\partial(C^w / C^k)}{C^w / C^k} = -\rho \quad (29)$$

Combining the inverted production function (26) with the optimality condition (28) provides the equation of production factor demand:

$$\begin{cases} N^e = Y \cdot f^{-1}(1; K / N^e) = Y (1 - \phi + \phi^\rho / (1 - \phi)^{\rho-1} (C^w / C^k)^{\rho-1})^{-\rho / (\rho-1)} \\ K = Y \cdot f^{-1}(N^e / K; 1) = Y (\phi + \phi^{1-\rho} / (1 - \phi)^{-\rho} (C^w / C^k)^{1-\rho})^{-\rho / (\rho-1)} \end{cases} \quad (30)$$

These can be linearised with the following first-order Taylor expansion:

$$\begin{cases} \partial N^e = \frac{\partial N^e}{\partial Y} \partial Y_t + \frac{\partial N^e}{\partial(C^w / C^k)} \partial(C^w / C^k) \\ \partial K = \frac{\partial K}{\partial Y} \partial Y + \frac{\partial K}{\partial(C^w / C^k)} \partial(C^w / C^k) \end{cases} \quad (31)$$

Dividing each equation by  $N^e$  and  $K$  respectively and rearranging them gives the factor demands expressed in growth rates:

$$\begin{cases} \dot{N}^e = \dot{Y} - \rho \alpha (\dot{C}^w - \dot{C}^k) \\ \dot{K} = \dot{Y} + \rho(1 - \alpha)(\dot{C}^w - \dot{C}^k) \end{cases} \quad (32)$$

where  $\alpha$  is the profit share:

$$\alpha = C^k K / (C^w N^e + C^k K) \quad (33)$$

Moreover, let us assume that the labour and capital costs are:

$$\begin{aligned} C^w &= W / E \Leftrightarrow \dot{C}^w = \dot{W} - \dot{E} \\ C^k &= P(1 + I^r - \dot{P} + \delta) \Leftrightarrow \dot{C}^k \approx \dot{P} + \Delta(I^r - \dot{P}) \end{aligned} \quad (34)$$

where  $I^r$  is the interest rate,  $P$  the price of output (partly used as capital) and  $\delta$  the depreciation rate of capital.

Rearranging the labour demand (32) gives the following equation of labour productivity:

$$\dot{P}^{rod} (= \dot{Y} - \dot{N}) = \dot{E} + \rho \alpha (\dot{C}^w - \dot{C}^k) \quad (35)$$

The trend labour productivity is the technical progress as long as real wage grows at the same rate as labour productivity. This is generally empirically verified and can be theoretically justified by the price setting and/or the wage setting processes. Firms are generally assumed to set their price as a mark-up on unit labour cost. In some theoretical models, wages are assumed to be fully indexed on labour productivity (see



Blanchard and Katz, 1999). The profit share ( $\alpha$ ) is stable only in the case of a Cobb-Douglas technology ( $\rho = 1$ ) since the optimality condition (28) states that changes in the ratio between capital and labour costs are entirely compensated by the capital to labour ratio. If  $\rho \neq 1$ , this share is however stable in the long run as long as the real wage follows labour productivity.

Equation (35) can be used to estimate simultaneously the technical progress the substitution between labour and capital by applying the Kalman filtering technique. This method provides an alternative to the traditional approach which consists in calculating technical progress as a residual by inverting the Cobb-Douglas production function. As this “Solow residual” is extremely erratic, filtering techniques are generally applied (see Beffy *et al.*, 2007).

## Appendix B. The SVAR approach

Given the vector of endogenous series  $X_t$ , we consider the following reduced form of equation (12) (using the Wold decomposition):

$$X_t = \delta(t) + C(L)v_t \quad (36)$$

Where  $\delta(t)$  is deterministic,  $C(L) = \sum_{i=0}^{+\infty} C_i L^i$  is a matrix of polynomial lags, its first coefficient matrix  $C_0 = I$  is the identity matrix and the vector  $v_t$  is the one-step ahead forecast errors in  $X_t$  given the information on lagged values of  $X_t$ . The covariance matrix of  $v_t$  is named  $\Omega$ .

In order to recover structural parameters from the reduced ones, we can write the structural form of the model:

$$X_t = \delta(t) + T(L)\varepsilon_t \quad (37)$$

where  $T(L) = \sum_{i=0}^{+\infty} T_i L^i$  is a matrix of polynomial lags,  $\varepsilon_t$  is the vector of structural residuals, representing structural shocks,  $E[\varepsilon_t] = 0$  and  $E[\varepsilon_t \varepsilon_t'] = I_n$ .

If the first coefficient matrix  $T_0$  was known, the structural form model could be retrieved from the estimated reduced canonical form by using the following relationships:

$$T_0 T_0' = \Omega, \quad v_t = T_0 \varepsilon_t \quad \text{and} \quad C(L) = T(L) T_0^{-1} \quad (38)$$

The long run covariance matrix of the reduced form is equal to  $C(1)\Omega C(1)'$ . From equations (35) and (36), the following conditions can be derived:

$$C(1)\Omega C(1)' = T(1)T(1)' \quad (39)$$

This relation suggests that the matrix  $T_0$  can be identified with the appropriate number of restrictions on the long-run covariance matrix of the structural form.

The log of real output follows the relation

$$y_t = \mu_y + T_1^p(L)\varepsilon_t^p + T_1^c(L)\varepsilon_t^c \quad (40)$$

where  $\mu_y$  is the deterministic component of output,  $\varepsilon_t^p$  is the vector of permanent shocks affecting output,  $\varepsilon_t^c$  is the vector of temporary shocks affecting output and  $(T_1^p(L), T_1^c(L))$  represent the dynamics of these shocks.

Potential output can thus be defined as the sum of the determinist component and of permanent shocks on output:

$$y_t^* = \mu_y + T_1^p(L) \varepsilon_t^p \quad (41)$$

The output gap is the part due to purely transitory shocks.

## Appendix C. Data for the euro area

The database used for the econometric estimation is on a quarterly basis for the 1970-2006 period. Unless specified otherwise, variables are seasonally adjusted and the two data bases used are supplied by the Euro Real Area Business Cycle Network (EABCN, [www.eabcn.org](http://www.eabcn.org)):

### (1) EABCN Real Time Data Base (RTDB)

The EABCN Real Time Data Base (RTDB) has been used for the recent period. Depending on the variable, data are available from 1991 or 1995. The Euro area RTDB consists of vintages, or snapshots, of time series of several macroeconomic variables, based on series reported in the European Central Bank (ECB)'s Monthly Bulletins. Aggregates for the Euro Area 12 are calculated by BCE from EuroStat data. All variables have been interpolated in growth rate with series from the AWM dataset starting in 1970.

### (2) Area Wide Model (AWM) dataset

The AWM dataset covers a wide range of quarterly Euro Area 12 macroeconomic time series starting from 1970. For a description of this database, see Fagan, Henry and Mestre (2001).

### Glossary of terms used:

$C^{UR}$ : Capacity utilization rate (Eurostat for the recent period interpolated the GDP weighted cur based on national sources)

$I^R$ : Long-term interest rate (10-years government bond), source ECB.

$N$ : Total employment

$P^{art} = N(1-U) / P^{op}$ : Labour Participation rate.

$P^M$ : Imports of goods and services deflator.

$P$ : GDP (Gross domestic product at market price) deflator.

$P^C$ : Private consumption (Final consumption of households and NPISH's) deflator

$P^{op}$ : Working age population (15 to 64 years old) in January interpolated using quadratic match average, directly by Eurostat

$P^{rod} = Y / N$ : Labour productivity

$U$ : Standardised unemployment rate (%). The data refer to the Euro area 13 since the march 2007 Monthly Bulletin

$U^{LC}$ : Unit labour cost, data before 2001 corrected for exchange rate effects. For homogeneity, Monthly Bulletin data published prior to August 2003 have been rescaled in index 2000 = 100

$W = U^{LC}Y / N$ : Compensation per employee

$Y$ : Real GDP, Chain linked index since the December 2005 Monthly Bulletin

Some variables are never revised:  $I^R$ ,  $P^{op}$ ,  $C^{UR}$ .

## Appendix D. Kalman filter toolbox on Matlab

Kalman filter estimations have been implemented with Matlab. All programs are available upon request. This Appendix describes the general routines developed for the estimation of a state-space model.

### D.1. The state-space representation

Consider a linear Gaussian state-space model, which is composed by the following two equations:

$$\begin{aligned}x_{t+1} &= Ax_t + Bu_{t+1} + w_t & w_t &\sim N(0, Q) \\ y_t &= Cx_t + v_t & v_t &\sim N(0, R)\end{aligned}$$

with  $t = 1, \dots, T$ . The first equation, called the state equation, models the *ss* state variables (stacked in the matrix  $x$ ) with an auto-regressive dynamic, *is* exogenous variables (stacked in the matrix  $u$ ) and Gaussian innovations (stacked in the matrix  $w$ ). The second equation, called the measure equation, models the *os* measure variables (stacked in the matrix  $y$ ) with the state variables and a Gaussian noise (stacked in the matrix  $v$ ). The dimensions of state-space matrices  $A$ ,  $B$ ,  $C$ ,  $Q$  and  $R$  are summarized in Table D.1.

**Table D.1. Dimensions of state-space matrices**

Variables	Dimensions	Parameters	Dimensions
$x, w$	$ss \times T$	$A, Q$	$ss \times ss$
$u$	$is \times T$	$B$	$ss \times is$
$y, v$	$os \times T$	$C$	$os \times ss$
		$R$	$os \times os$

### D.2. A toolbox based on the Kalman filter toolbox of Murphy (1998)

Given the measure and input variables, the estimation of such a model can be performed through the Kalman filter toolbox, written by Murphy (1998, see <http://www.ai.mit.edu/~murphyk/Software/kalman.html>). This toolbox supports filtering, smoothing and parameter estimation through the three Matlab functions *kalman\_filter*, *kalman\_smoother* and *learn\_kalman*.

Description of the function *kalman\_filter*:

```
[x, V, VV, loglik] = ...
kalman_filter(y, A, C, Q, R, init_x, init_V, varargin)
```

- Inputs are the measured series ( $y$ ), the parameter matrices ( $A$ ,  $C$ ,  $Q$  and  $R$ ), the initialisation of the state ( $init\_x$  and  $init\_V$ ) and, as optional inputs, exogenous variables ( $u$ ) and its associated parameter matrix ( $B$ ).
- The standard Kalman filter is proceeded for performing filtering on the model defined by  $A$ ,  $B$ ,  $C$ ,  $Q$ ,  $R$ , i.e., computing  $P(x_t | y_1, \dots, y_t)$ , for  $t = 1, \dots, T$ .
- Outputs are the filtered estimate of the state ( $x$ ), the filtered variance of the state ( $V$ ), the predicted variance of the state ( $VV$ ) and the log-likelihood of the state-space model ( $loglik$ ).

#### Description of the function *kalman\_smoother*:

```
[xsmooth, Vsmooth, VVsmooth, loglik] = ...  
kalman_smoother(y, A, C, Q, R, init_x, init_V, varargin)
```

- Inputs are the measured series ( $y$ ), the parameter matrices ( $A$ ,  $C$ ,  $Q$  and  $R$ ), the initialisation of the state ( $init\_x$  and  $init\_V$ ) and, as optional inputs, exogenous variables ( $u$ ) and its associated parameter matrix ( $B$ ).
- The Rauch-Tung-Striebel (RTS) algorithm performs fixed-interval offline smoothing, i.e. computes  $P(x_t | y_1, \dots, y_T)$ , for  $t = 1, \dots, T$ .
- Outputs are the smoothed estimate of the state ( $xsmooth$ ), the smoothed variance of the state ( $Vsmooth$ ), the smoothed estimate of the predicted variance of the state ( $VVsmooth$ ) and the log-likelihood computed by the Kalman filter ( $loglik$ ).

#### Description of the function *learn\_kalman*:

```
[A, C, Q, R, initx, initV, LL] = ...  
learn_kalman(data, A, C, Q, R, initx, initV, max_iter, diagQ,  
diagR, ARmode, constr_fun, varargin)
```

- Inputs are the whole data set ( $data$ ), the parameter matrices ( $A$ ,  $C$ ,  $Q$  and  $R$ ), the initialisation of the state ( $init\_x$  and  $init\_V$ ) and, as optional inputs, the maximum number of iterations ( $max\_iter$ ) and constraint options ( $diagQ$ ,  $diagR$  and  $constr\_fun$ ).
- A version of the Expectation-Maximisation algorithm (EM) performs the parameter estimation. The log-likelihood is evaluated by *kalman\_smoother*, through the sub-function *Estep*. It is analytically maximized with the formula presented in Gharamani and Hinton (1996), which relate parameter estimates to  $y$ ,  $xsmooth$ ,  $Vsmooth$  and  $VVsmooth$ .
- Outputs are the estimated parameters ( $A$ ,  $C$ ,  $Q$ ,  $R$ ,  $initx$  and  $initV$ ) and the log-likelihood of the estimated state-space model ( $LL$ ).

### ***D.3. Implementation of a numerical procedure for parameter estimation***

However, we do not use the function *learn\_kalman* for estimating the parameter matrices. Firstly, this program delivers estimates of  $A$ ,  $C$ ,  $Q$  and  $R$ , but does not deliver the estimate of  $B$ . Secondly, the analytic maximization method has two drawbacks:

- it does not allow computing the standard errors of parameter estimates;
- the optimisation of the log-likelihood is not performed under the parameters' constraints, but these constraints are imposed *a posteriori*.

Thus, we have developed another function for parameter estimation, called *learn\_kalman\_num*, which numerically minimizes the sub-function *mlikelihood*. Both functions are described in this sub-section. Then, it will be explained how, in this procedure, are computed standard errors of parameters' estimates and are imposed parameters' constraints.

### Description of the function *learn\_kalman\_num*:

```
[A, C, Q, R, initx, initV, LL, output, B, Ase, Cse, Qse, Rse, Bse] = learn_kalman_num4(data, A, C, Q, R, initx, initV, max_iter, diagQ, diagR, ARmode, constr_fun, varargin)
```

- Inputs are the same as those of *learn\_kalman*.
- The opposite of the log-likelihood (called *mlikelihood*) is numerically minimized, relative to the parameters, with the Matlab function *fminunc*. Parameters are transformed via the function *constr\_fun* for taking into account possible constraints. Standard errors of parameters estimates are computed
- Outputs include those of *learn\_kalman* and additional outputs, i.e. information about the convergence of the numeric optimisation (in the structure *output*), the estimate of the parameter matrix *B* and the standard errors of parameter matrices (*Ase*, *Cse*, *Qse*, *Rse* and *Bse*).

### Description of the sub-function *mlikelihood*:

```
[mloglik] = mlikelihood(vP, data, N, initx, initV, ARmode, as, cs, qs, rs, constr_fun, varargin)
```

- Its main inputs are the vector of parameters *vP* and the measured series stacked in the matrix *data*.
- Parameters of *vP* are transferred into matrices *qA*, *qB*, *qC*, *qQ* and *qR* with the function *vptossf*. Matrices *qA*, *qB*, *qC*, *qQ* and *qR* are transformed into state-space matrices *A*, *B*, *C*, *Q* and *R* with the function called by the handle *constr\_fun*. The opposite of the log-likelihood is computed with the function *Estep*.
- The output *mloglik* is the opposite of the log-likelihood computed by the function *Estep* applied to the measured series and to the matrices *A*, *B*, *C*, *Q* and *R*.

### Imposing constraints to parameters

The function called by the handle *constr\_fun* is used for computing matrices *A*, *B*, *C*, *Q* and *R* from other matrices *qA*, *qB*, *qC*, *qQ* and *qR*. Such transformations allow imposing constraints to parameters of the state-space model. Such a function has always the same structure:

- Inputs are *qA*, *qB*, *qC*, *qQ* and *qR*.
- Constraints applied to *A*, *B*, *C*, *Q* and *R* are imposed with non-surjective functions. For example, the variance matrices *Q* and *R*, which sizes are  $ss \times ss$  and  $os \times os$ , might be imposed as diagonal with positive elements, by using the formula  $Q = \text{diag}(qQ.*qQ)$  and  $R = \text{diag}(qR.*qR)$  with *qQ* and *qR* row vectors of dimensions equal to  $1 \times ss$  and  $1 \times os$ .
- Outputs are *A*, *B*, *C*, *Q* and *R* and they always follow the desired constraints.

An inverse function of the one called by *constr\_fun* should also be written, for transforming *A*, *B*, *C*, *Q* and *R* into *qA*, *qB*, *qC*, *qQ* and *qR*.

### Computation of parameters standard errors

For getting standard errors of state-space matrices, some additional steps are proceeded in *learn\_kalman\_num*:

- First, the Hessian matrix (called *Hessian*) of the function *mlikelihood* is computed as an output of the optimisation function *fminunc*.
- As this matrix should be positive semi-definite, standard errors of parameters estimates can be computed with the formula  $vPse = \text{sqrt}(\text{diag}(\text{inv}(\text{Hessian})))$ , which is derived from Durbin and Koopman (2001, p. 150);

- Then, standard errors  $qAse$ ,  $qBse$ ,  $qCse$ ,  $qQse$  and  $qRse$  of vectors  $qA$ ,  $qB$ ,  $qC$ ,  $qQ$  and  $qR$  are deduced from  $vPse$  with the function  $vptossf$ .
- Finally, standard errors  $Ase$ ,  $Bse$ ,  $Cse$ ,  $Qse$  and  $Rse$  of matrices  $A$ ,  $B$ ,  $C$ ,  $Q$  and  $R$  are deduced from  $qAse$ ,  $qBse$ ,  $qCse$ ,  $qQse$  and  $qRse$  with the function called by the handle `constr_fun_se.`, which should be specifically written for each transformation `constr_fun`.



## Bibliography

- ANAS J., M. BILLIO, L. FERRARA and G. L. MAZZI, 2008, "A system for dating and detecting turning points in the euro area", *The Manchester School*, forthcoming.
- APEL M., P. JANSSON, 1999, "A theory-consistent system approach for estimating potential output and the NAIRU", *Economics Letters* 64, 271-275.
- ARROW K. J., H. B CHENERY, B. S. MINHAS and R. M. SOLOW, 1961, "Capital-Labor Substitution and Economic Efficiency", *Review of Economics and Statistics* 43(3), 225-250.
- BANQUE DE FRANCE, 2002: "Croissance potentielle, positionnement de l'économie dans le cycle et tensions inflationnistes", *Bulletin de la Banque de France* n°103, juillet.
- BEFFY P.-O., P. OLLIVAUD, P RICHARDSON., F. SÉDILLOT, 2007, "New OECD method for supply-side and medium-term assessments: a capital services approach", *OECD Economics Department Working Papers* 482
- BJØRNLAND H., L. BRUBAKK and A. S. JORE, 2007, "Forecasting inflation with uncertain output gaps", *Empirical Economics*, forthcoming.
- BLANCHARD O. J. and L. H. SUMMERS, 1986, "Hysteresis and the European Unemployment", in: Fischer S. (Eds.), *NBER Macroeconomics Annual*, Fall, MIT Press, Cambridge, 15-78.
- BLANCHARD O. J. and L. F.KATZ, 1999, "Wage Dynamic: Reconciling Theory and Evidence", *American Economic Review* 89(2), 69-74.
- BLANCHARD O. J. and D. QUAH, 1993, "The Dynamic Effect of Aggregate Demand and Supply Disturbances: Reply", *American Economic Review*, 83, pp. 653-58.
- BLANCHARD O. J. et L. H. SUMMERS, 1987, « Hysteresis and the European Unemployment Problem », NBER working paper, N° 1950.
- BLOCH L., P.-Y. HENIN, O. MARCHAND, F. MEUNIER, C. THELOT, 1986, "Analyse macroéconomique des taux d'activité et flexion conjoncturelle", *Economie Appliquée* 1986 (4).
- BULLARD J. B. and J. W. KEATING, 1995, "The Long-Run Relationship between Inflation and Output in Postwar Economies ", *Journal of Monetary Economics*, Vol. 36, Issue 3, 477-496.
- BUTTER F. A. G. and S. J. KOOPMAN, 2001, "Interaction Between Structural Employment and Cyclical Shocks in Production and Employment", *Weltwirtschaftliches Archiv*, Vol. 137, 273-296.

- CAHN C. and A. SAINT-GUILHEM, 2007, “Potential output growth in several Industrialised country. A comparison”, *ECB Working Paper* 828, November.
- CAMBA-MENDEZ G. and D. RODRIGUEZ-PALENZUELA, 2003, “Assessment criteria for output gap estimates”, *Economic modelling*, pp. 529-562.
- COTIS J.-P., J. ELMESKOV and A. MOUROUGANE, 2005, “Estimates of potential output: benefits and pitfalls from a policy perspective”, in L. Reichlin (ed.), *Euro area business cycle: stylised facts and measurement issues*, CEPR.
- CEPII, 1997, “Croissance potentielle et écart de production”, *Economie internationale* 69, 1<sup>er</sup> trimestre.
- CHAGNY O., J. DÖPKE, M. PLANE, R. SCHMIDT, 2001, “Labour Supply and Labour Force Participation in Europe – A Discussion of Some Recent Developments and Projections”, *Kiel Working Paper* 1049, May.
- CHAGNY O. and M. LEMOINE, 2004, “An estimation of the euro area potential output with a semi-structural multivariate Hodrick-Prescott filter”, *OFCE working paper* No 2004-14, December.
- CHAGNY O., M. LEMOINE and F. PELGRIN, 2004, “An assessment of multivariate output gap estimates in the euro area”, *Working papers and studies*, Eurostat.
- CHAGNY O., F. REYNÈS and H. STERDYNIK, 2002, « Le taux de chômage d'équilibre: discussion théorique et évaluation empirique », *Revue de l'OFCE* n°81, April.
- CHAUVIN V. and M. PLANE, 2001, “2000-2040 : Population active et croissance”, *Revue de l'OFCE* 79, octobre.
- De BANDT O. and P. ROUSSEAUX, 2002 : “Estimation du PIB potentiel et de l'écart par la méthode « structurelle »”, *Note d'études et de recherche de la banque de France*, No. 89.
- DENIS C., D. GRENOUILLEAU, K. MC MORROW and W. RÖGER, 2006, “Calculating potential growth rates and output gaps - A revised production function approach”, *European Economy* No 247.
- DENIS C., K. Mc MORROW and W. RÖGER, 2001 : "Production function approach to calculating potential growth and output gaps – estimates for the EU Member States and the US", *European Commission Economic Papers* No 150.
- DERNBURG T. and K. STRAND, 1966, “Hidden Unemployment 1953-62: A Quantitative Analysis by Age and Sex” *American Economic Review* 56(1), 71-95.

- DESERRES, A. and A.GUAY, 1995, "Selection of the Truncation Lag in Structural VARs (or VECMs) with Long-Run Restrictions" *Bank of Canada, Working Paper 95-9*.
- DIEBOLD F. X. and R. S. MARIANO, 1995, "Comparing Predictive Accuracy", *Journal of Business and Economic Statistics*, Vol.13, No.3, pp. 253-63
- DURBIN J. and S.J. KOOPMAN, 2001, *Time Series Analysis by Space State Methods*, Oxford University Press.
- FABIANI, S. and S. MESTRE, 2001, "A System Approach for Measuring the Euro Area NAIRU", *European Central Bank Working Paper*, 65.
- FAUST, J., LEEPER, E.M., 1997, "When Do Long-Run Identifying Restrictions Give Reliable Results?" *Journal of Business and Economic Statistics*, 15(3), 345-353.
- FILATRIAU O., 2007, "Estimation de l'impact du taux de chômage sur le taux d'activité dans les pays de l'OCDE", *Mimeo*.
- FOURNIER J.-Y. and P.GIVORD, 2001, "La réduction des taux d'activité aux âges extrêmes, une spécificité française ? ", *Documents de travail de la Direction des Etudes et Synthèses Economiques*, G 2001 / 16, INSEE.
- GERLACH S. and F. SMETS (1999), "Output Gaps and the Monetary Policy in the EMU area", *European Economic Review*, 43, 205-244.
- GHAHRAMANI Z. and E. HINTON, 1996, "Parameter estimation for linear dynamical systems", *working paper*, University of Toronto.
- GORDON R. J., 1997, "The Time-varying NAIRU and its Implications for Economic Policy", *Journal of Economic Perspectives*, 11(1), 11-32.
- GIORNO C., P. RICHARDSON, D. ROSEVEARE and P. VAN DEN NOORD, 1995, "Estimating potential output, output gaps and structural budget balances", *OECD Economic Department Working Paper*, No 152.
- HARVEY A.C., 1985, "Trend and cycles in macroeconomic time series", *Journal of Business and Economic Statistics*, No 3.
- HARVEY D., S. LEYBOURNE and P. NEWBOLD, 1997, "Testing the equality of prediction mean errors", *International Journal of Forecasting*, No 13, 281-291.
- HEYER E., F. REYNÈS and H. STERDYNIAK, 2004, "Variables observables et inobservables dans la théorie du taux de chômage d'équilibre, Une comparaison France / Etats-Unis ", *OFCE Working Paper 2004-03*.

- HEYER E., F. REYNÈS and H. STERDYNIK, 2007, “Structural and reduced approaches of the equilibrium rate of unemployment, a comparison between France and the United States”, *Economic Modelling* 24, pp. 42-65.
- HEYER E. and X. TIMBEAU (2002), « Le chômage structurel à 5% en France ? », *Revue de l'OFCE* n°80, January.
- HODRICK, R. and E.C. PRESCOTT, 1980, "Post-War U.S. Business Cycles: An Empirical Investigation", *Discussion Paper* No 451, Carnegie-Mellon University, Pittsburgh, P.A.
- JACQUOT, A., 1997, “Les flexions des taux d’activité sont-elles seulement conjoncturelles”, *Economie et Prévisions*, 127 :137–155, January.
- JAEGER, A. and M. PARKINSON, , 1994, “Some evidence in Hysteresis in Unemployment Rates”, *European Economic Review* 38(2), 329-342.
- KING, R. G., J. H. STOCK and M. WATSON, 1995, “Temporal instability of the unemployment-inflation relationship”, *Economic Perspectives of the Federal Reserve Bank of Chicago* 19, 2-12.
- IRAC D., 2000, “Estimation of a time varying NAIRU for France”, *Note d’études et de recherche de la Banque de France* 75.
- KICHIAN M., 1999, "Measuring Potential Output within a State-Space Framework", *Working Paper* No. 99-9, Bank Of Canada.
- KUTTNER K.N. (1994), “Estimating Potential Output Gap as a Latent Variable”, *Journal of Business and Economic Statistics* 12, 361-367.
- LAUBACH, T., 2001, “Measuring the NAIRU: evidence from seven economies”, *Review of Economics and Statistics* 83(2), 218-231.
- LAXTON D. and R. TETLOW, 1992, “A Simple Multivariate Filter for the Measurement of Potential Output”, *Technical Report* No. 59. Bank of Canada.
- LE BIHAN H., H. STERDYNIK and P. COUR, 1997, “La notion de croissance potentielle a-t-elle un sens?”, *Economie internationale* 69.
- LEMOINE M., P. MONPERRUS-VERONI and F. REYNÈS, 2006, “Potentiels moins freinés”, *Revue de l'OFCE* 99, October.
- LEMOINE M., P. MONPERRUS-VERONI and F. REYNÈS, 2007a, “L’Europe moins vieille que prévue. La démographie favorable à une politique de croissance”, *Lettre de l'OFCE* 281, March.
- LEMOINE M., P. MONPERRUS-VERONI and F. REYNÈS, F., 2007b, “Nairu en zone heureuse”, *Revue de l'OFCE* 101, April.

- LOGEAY C. and S. TOBER, 2003, "Time-varying Nairu and real interest rates in the Euro Area", *DIW Discussion Papers* 351.
- MC MORROW K. and W. ROEGER, 2000, "Time-Varying Nairu / Nawru Estimates for the EU's Member States", *European Commission Economic Paper* 145.
- ONGENA H. and W. ROGER, 1997, "Les estimations de l'écart de production de la commission Européenne ", *Economie internationale* 69, 1<sup>er</sup> trimestre.
- ORLANDI F. and K. PICHELMANN, 2000, "Disentangling Trend and Cycle in the EUR-11 Unemployment Series", *Economic Paper* No. 140, DG ECFIN.
- ORPHANIDES A. and S. VAN NORDEN, 2002, "The Unreliability of Output Gap Estimates in Real Time", *Review of Economics and Statistics*, 84, 569-583.
- ORPHANIDES A. and S. VAN NORDEN, 2004, "The Reliability of Inflation Forecasts Based on Output Gap Estimates in Real Time", *FEDS Working Paper* No. 2004-68.
- PASSET, O., C. RIFFLART and H. STERDYNIK, 1997, "Ralentissement de la croissance potentielle et hausse du chômage", *Revue de l'OFCE* 60, 147-186.
- PROIETTI T., A. MUSSO and T. WESTERMANN, 2002, "Estimating Potential Output and the Output Gap for the euro area : a Model-Based Production Function Approach", *ECB Working paper*.
- RICHARDSON P., L., BOONE, C. GIORNO, M. MEACCI, D. RAE and D. TURNER, 2000 : "The concept, policy use and measurement of structural unemployment : estimating a time varying NAIRU across 21 OECD countries", *OECD Economic Department Working Paper* No 250.
- RÜNSTLER G., 2002, "The information content of real-time output gap estimates. An application to the euro area", *ECB Working Paper*.
- SCOTT A., 2000, "A multivariate unobserved components model of cyclical activity", *Discussion Paper* 2000/04, Reserve Bank of New Zealand.
- SHAPIRO M. D., M. W. WATSON, 1988, "Sources of Business Cycle Fluctuations", *NBER Working Paper* 2589, May 1988.
- SIMS C.A., 1980, "Comparison of Interwar and Postwar Cycles: Monetarism Reconsidered", *NBER Working Paper* 430, January 1980.
- STRAND K. and T. DERNBURG, 1964, "Cyclical Variation in Civilian Labor Force Participation", *Review of Economics and Statistics* 46(4), 378-391.
- TURNER D., L. BOONE, C. GIORNO, M. MEACCI, D. RAE, P. RICHARDSON, 2001, Estimating the structural rate of unemployment for the OECD countries, *OECD Economic Studies*, No.33, 2001/2.